

Accurate
MADE IN USA

TE2RN
6000

Accurate[®]

2023 CATALOG



OUR HISTORY. OUR LEGACY. OUR JOURNEY.

Accurate® was started in the late 1950's with a vision by our grandfather, Mike Demarco, who had developed a process to grind aircraft parts within extremely tight tolerances for the aerospace industry. This ability to hold precise tolerances developed a reputation for his shop as a precision, quality-minded shop, with high standards of excellence.

This family run aerospace parts business was passed to our father, Jack Nilsen, and his brother-in-law Joe Demarco. As we got older, we started to work within the family business, discovering the importance of quality, precision-made parts. As we continued to grow within the business, we wanted to make things for our father to enjoy on the water and we had some ideas to develop a few fishing products. At first, we developed a series of gaffs and Accu-Plates for Penn reels. One day we were looking at the disc brakes on one of the trucks, and the idea for TwinDrag® reels was born. We made our first reel, an ATD-30®, for our father as a gift.

The Accurate® Fishing business, starting out of a love of fishing and a gift for our father, has developed into a global fishing entity. We strive to design and develop the best possible products, made in America, that fulfill the passion that burns inside us. Our commitment which is shared by all who work at Accurate®, is to make the best products in the world for fishing and aerospace. Since we are so dedicated to everything we create, any time you use an Accurate® product, we feel like you are taking a part of us with you.

Whether you are flying in a plane or targeting the game fish of the world, we are honored to be part of the adventure.

WELCOME TO OUR JOURNEY.

David and Douglas Nilsen
Owners of Accurate® Fishing



The Original TwinDrag® Reels

Whether they are using "Double-Disc" or "Dual-Disc" or any other double drag description, no other reel's "two-faced" drag washer can compare with the performance of Accurate's exclusive patented TwinDrag® system. That's because unlike all other reel drags where discs are positioned on one side of the reel's spool, Accurate's unique TwinDrag® has two disc washers that apply equal pressure to both sides of the spool. This not only reduces heat buildup, but allows for a perfectly balanced load and less wear on reel bearings, spool and washers. That translates into stronger, smoother drags and more accurate drag settings. Our TwinDrag® reels fluctuate less than one-pound in total drag when line is drawn at any speed. No other reel's performance is this accurate.

ADVANCED TECHNOLOGY



TwinDrag®

Our patented TwinDrag® technology utilizes carbon fiber drag washers and stainless-steel friction washers on both sides of the spool to create the strongest smoothest drag possible.



DirecShift®

There is no need for the handle to rock backwards or to relieve pressure while shifting with DirecShift®. The low gear is always engaged and meshes with the high gear to drive whichever speed you are after.



CVX® (Convex Experiment)

A new concept in machining derived from an experiment that allows us to remove 25% of the material but keep the strength anglers demand and that we are known for. The external and internal arcing of the material is what adds rigidity. Light can be powerful.



TwinStarDrag®

The first of its kind for Accurate® and the only star drag reel that doesn't lack in the drag department. Carbon fiber and stainless-steel drag disks on both sides of the main gear create the ultimate star drag experience.



Main Gear Bearing Support™ (MGBS)

The Main Gear Bearing Support system utilizes a bearing to remove friction between gear and shaft for an overall smoother, stronger operation.



Xtreme Cast Technology™ (XCT)

Xtreme Casting Technology is based on the premise of centrifugal force design that maximizes casting distance while minimizing backlashes.

Two-Year Free Service

There is no better way to keep your reel in tip top shape than to have it factory maintained by our in house technicians! All new reels sold after 2015 include 2 years of free service. To receive this 2 year free service you must be the original purchaser from an Authorized Accurate® Dealer and register your reel at www.Accuratefishing.com/registration



VALIANT®

- LIGHTWEIGHT 6061-T6 AIRCRAFT ALUMINUM
- 7 ABEC-5 RATED SS BEARINGS
- PRECISION CUT 17-4 STAINLESS STEEL GEARS AND GEAR SHAFT
- POWER ARM FOR INCREASED TORQUE
- ACCUSTOP CALIBRATED DRAG LEVER
- DIRECSHIFT® INSTAGAGE SYSTEM
- CVX® TECHNOLOGY
- STAINLESS STEEL ANTI-REVERSE BEARING
- SLEEVED SPOOL FOR EXTREME CASTABILITY
- PATENTED TWINDRAG® FEATURE

SINGLE SPEED



VALIANT® (BV) SINGLE SPEED REELS

MODEL	WEIGHT (oz)	GEAR RATIO	LINE CAPACITY-BRAID	INCHES PER CRANK	MAX DRAG
BV-300	9.9	6:1	325 yds / 30 lbs	38"	24
BV-400	14	6:1	400 yds / 50 lbs	38"	26
BV-500N	15	6:1	300 yds / 50 lbs	45"	30
BV-500	16	6:1	475 yds / 50 lbs	45"	30
BV-600NN	18	6:1	300 yds / 65 lbs	53"	32
BV-600N	18	6:1	400 yds / 65 lbs	53"	32
BV-600	18	6:1	500 yds / 65 lbs	53"	32
BV-600PNN	18	4:1	300 yds / 65 lbs	35"	32
BV-600PN	18	4:1	400 yds / 65 lbs	35"	32
BV-600P	19	4:1	500 yds / 65 lbs	35"	32

VALIANT® LIGHT LINE (BVL) SINGLE SPEED REELS

MODEL	WEIGHT (oz)	GEAR RATIO	LINE CAPACITY-BRAID	LINE CAPACITY-MONO	INCHES PER CRANK	MAX DRAG
BVL-600S	19	7:1	NA	650 yds / 20 lbs	62	20
BVL-600SW	20	7:1	NA	750 yds / 20 lbs	62	20
BVL-800S	24	6:1	NA	800 yds / 30 lbs	56	26

Note: All models are available in left hand retrieve.

The Valiant® is the first of an entire new generation of reels designed with CVX® technology. Created with precise, powerful performance in mind, it has proven itself globally in a short period of time. The curved design of the frame and sideplate allowed us to design a reel that is incredibly light, but extremely strong. In addition to being the lightest series of reels on the market, the Valiant® has incredible free spool, allowing you to fish the reel all day and focus on fighting the fish, not your tackle.

Valiant® light line reels are specifically designed to be able to fish 20-30 lb. mono for tournament fishing. The special design of the spool eliminates mono compaction and the resulting drag fluctuations.

For the perfect VALIANT®/ROD Combo, turn to page 17

TWO SPEED



VALIANT® (BV2) TWO SPEED REELS

MODEL	WEIGHT (oz)	GEAR RATIO	LINE CAPACITY-BRAID	INCHES PER CRANK	MAX DRAG
BV2-300	15.7	6:1 / 3:1	325 yds / 30 lbs	38" / 19"	24
BV2-400	16	6:1 / 3:1	400 yds / 50 lbs	38" / 19"	26
BV2-500N	17	6:1 / 3:1	300 yds / 50 lbs	45" / 23"	30
BV2-500	18	6:1 / 3:1	475 yds / 50 lbs	45" / 23"	30
BV2-600NN	19	5:1 / 2.2:1	300 yds / 65 lbs	44" / 19"	32
BV2-600N	19	5:1 / 2.2:1	400 yds / 65 lbs	44" / 19"	32
BV2-600	20	5:1 / 2.2:1	500 yds / 65 lbs	44" / 19"	32
BV2-800N	24	5:1 / 2.2:1	600 yds / 80 lbs	47" / 21"	36
BV2-800	25	5:1 / 2.2:1	800 yds / 80 lbs	47" / 21"	36
BV2-1000	29	5:1 / 2.2:1	1000 yds / 100 lbs	52" / 23"	40


Note: All models are available in left hand retrieve.

SPJ REELS

SLOW PITCH JIGGING

The Valiant® Slow Pitch Jigging reel was designed with the SPJ enthusiast in mind. We took our popular Valiant® 300 and 500n models and removed the clicker added an optimized arm length and our popular SPJ knob for added comfort while jigging. The curved design of the frame and sideplate allowed us to design a reel that is incredibly light, but extremely strong.

- SUPERIOR LIGHTWEIGHT DESIGN
- PATENTED TWINDRAG® FEATURE
- CVX® TECHNOLOGY
- STAINLESS STEEL ARB
- 17-4 STAINLESS STEEL GEARS AND SHAFT
- LARGER, STRONGER GEAR SHAFT FOR INCREASED TORQUE
- SLEEVED SPOOL FOR INCREASED CASTABILITY
- 2 YEAR FREE SERVICE PROGRAM



SLOW PITCH JIGGING (SPJ) REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
BV-300-SPJ	12.5	6:1	325yds/30lb	38"	24
BV-500N-SPJ	16.8	6:1	300yds/50lb	45"	30
BV-600NN-SPJ	18	6:1	300yds/65lb	53"	32
BV-600N-SPJ	20.6	6:1	400yds/65lb	53"	32
BV2-300-SPJ	17	6:1/3:1	325yds/30lb	38"/19"	24
BV2-500N-SPJ	18.7	6:1/3:1	300yds/50lb	45"/23"	30
BV2-600NN-SPJ	19	5:1/2.2:1	300yds/65lb	44"/19"	32
BV2-600N-SPJ	21.6	5:1/2.2:1	400yds/65lb	44"/19"	32

Note: All models are available in left hand retrieve.

DAUNTLESS

The Dauntless is the pinnacle of the Small Reel, Big Fish movement. Lightweight, strong, and full of torque, this reel has the Accurate® exclusive stainless steel ARB bearing coupled with backup twin synced dogs for the ultimate stopping power. Not only is the Dauntless extremely powerful, but it offers the smooth, even, consistent drag of Accurate's patented TwinDrag®. It has been the reel of choice for top anglers pushing the envelope targeting larger gamefish on smaller conventional reels. The Dauntless was designed for the angler looking to pull out all stops as they take on the largest and strongest gamefish of the world.

TWO SPEED



- TWIN SYNCED STAINLESS STEEL DOGS
- 17-4 STAINLESS STEEL GEARS
- 6 ABEC-5 RATED STAINLESS STEEL BEARINGS
- CALIBRATED LEVER DRAG FOR ACCURATE DRAG SETTING
- LARGER, 17-4 HEAT TREATED GEAR SHAFT FOR INCREASED TORQUE
- POWER ARM AND ERGONOMIC HANDLE FOR POWER AND COMFORT
- 6061 T6 AIRCRAFT ALUMINUM
- PATENTED DIRECSHIFT® 2-SPEED MECHANISM



DAUNTLESS (DX2) REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
DX2-400N	22	6:1 / 3:1	325 yds / 40 lbs	38" / 19"	26
DX2-400	24	6:1 / 3:1	325 yds / 50 lbs	38" / 19"	26
DX2-500N	24	6:1 / 3:1	300 yds / 50 lbs	45" / 23"	30
DX2-500	26	6:1 / 3:1	475 yds / 50 lbs	45" / 23"	30
DX2-600N	28	5:1 / 2.2:1	425 yds / 65 lbs	44" / 19"	32
DX2-600	30	5:1 / 2.2:1	500 yds / 65 lbs	44" / 19"	32
DX2-600NN	27	5:1 / 2.2:1	300 yds / 65 lbs	44" / 19"	32

Note: All models are available in left hand retrieve.


THE ORIGINAL™ BOSS® EXTREME

SMALL REELS, BIG FISH™



SINGLE SPEED

TWO SPEED



- UNHINDERED SLEEVED FREE-SPOOL AT EVERY DRAG SETTING
- 6 ABEC-5 RATED STAINLESS STEEL BEARINGS
- CALIBRATED LEVER DRAG FOR ACCURATE DRAG SETTING
- 17-4 STAINLESS STEEL GEARS AND GEAR SHAFT
- LARGER, STRONGER GEAR SHAFT FOR INCREASED TORQUE
- STAINLESS STEEL ANTI REVERSE BEARING FOR SOLID STOPPING POWER
- PATENTED DIRECSHIFT® 2-SPEED MECHANISM FOR INSTANT ENGAGEMENT

Boss® reels have been the staple product of our reel line since the beginning. As innovation continued, the Nilsen twins have taken the Boss® Series to a new level of engineering with new materials and designs that are lighter, more powerful, and with new cosmetics that make them stand out on the shelf. These reels have been copied but never duplicated and stand as the first TwinDrag® reel ever offered.



BOSS® EXTREME (BX) SINGLE SPEED REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
BX-400N	18	4:1 or 6:1	325 yds / 30 lbs	25" / 38"	26
BX-400	20	4:1 or 6:1	400 yds / 50 lbs	25" / 38"	26
BX-500N	20	4:1 or 6:1	300 yds / 50 lbs	30" / 45"	30
BX-500	22	4:1 or 6:1	475 yds / 50 lbs	35" / 53"	30
BX-600N	24	4:1 or 6:1	425 yds / 65 lbs	35" / 53"	32
BX-600	26	4:1 or 6:1	500 yds / 65 lbs	35" / 53"	32
BX-600NN	24	4:1 or 6:1	300 yds / 65 lbs	35" / 53"	32
BX-600W	28	4:1 or 6:1	480 yds / 80 lbs	35" / 53"	32

Note: All models are available in left hand retrieve.

BOSS® EXTREME (BX2) TWO SPEED REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
BX2-400N	19	6:1 / 3:1	325 yds / 30 lbs	38" / 19"	26
BX2-400	21	6:1 / 3:1	400 yds / 50 lbs	38" / 19"	26
BX2-500N	20	6:1 / 3:1	300 yds / 50 lbs	45" / 23"	30
BX2-500	22	6:1 / 3:1	475 yds / 50 lbs	45" / 23"	30
BX2-600N	24	5:1 / 2.2:1	425 yds / 65 lbs	44" / 19"	32
BX2-600	26	5:1 / 2.2:1	500 yds / 65 lbs	44" / 19"	32
BX2-600NN	22	5:1 / 2.2:1	300 yds / 65 lbs	44" / 19"	32
BX2-600W	28	5:1 / 2.2:1	480 yds / 80 lbs	44" / 19"	32
BX2-30N	34	5:1 / 2.2:1	375 yds / 80 lbs	47" / 21"	36
BX2-30	36	5:1 / 2.2:1	500 yds / 80 lbs	47" / 21"	36
BX2-50	40	5:1 / 2.2:1	700yds/100lb	52"/23"	40

Note: All models are available in left hand retrieve.

FURY™

MADE IN AMERICA

- STAINLESS STEEL ANTI-REVERSE BEARING
- CALIBRATED LEVER DRAG FOR ACCURATE DRAG SETTING
- 17-4 STAINLESS STEEL GEARS AND GEAR SHAFT
- LARGER, STRONGER GEAR SHAFT FOR INCREASED TORQUE
- UNHINDERED SLEEVED FREE-SPOOL AT EVERY DRAG SETTING
- PATENTED DIRECSHIFT® 2-SPEED MECHANISM FOR INSTANT ENGAGEMENT

SINGLE SPEED

TWO SPEED



The Fury™ is Accurate's entry into the single drag market. These reels are designed with all the precision and power you've come to expect from Accurate®, with competitive pricing for those anglers on a budget looking for the best value. Fury™ reels are offered in both single and 2-speed models. These reels offer the same features as our top of the line reels such as the Accurate-exclusive stainless steel ARB and a sleeved spool for max free spool. Looking for an excellent reel at the right price? The Fury™ is the reel for you.


FURY™ (FX) SINGLE SPEED REELS					
MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
FX-400N	16	4:1 or 6:1	325 yds / 30 lbs	25" / 38"	22
FX-400	18	4:1 or 6:1	400 yds / 50 lbs	25" / 38"	22
FX-500N	17	4:1 or 6:1	300 yds / 50 lbs	30" / 45"	24
FX-500	19	4:1 or 6:1	475 yds / 50 lbs	35" / 53"	24
FX-600N	21	4:1 or 6:1	425 yds / 65 lbs	35" / 53"	26
FX-600	23	4:1 or 6:1	500 yds / 65 lbs	35" / 53"	26
FX-600NN	21	4:1 or 6:1	300 yds / 65 lbs	35" / 53"	26

Note: All models are available in left hand retrieve.

FURY™ (FX2) TWO SPEED REELS					
MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
FX2-400N	17	6:1 / 3:1	325 yds / 30 lbs	38" / 19"	22
FX2-400	19	6:1 / 3:1	400 yds / 50 lbs	38" / 19"	22
FX2-500N	18	6:1 / 3:1	300 yds / 50 lbs	45" / 23"	24
FX2-500	20	6:1 / 3:1	475 yds / 50 lbs	45" / 23"	24
FX2-600N	22	5:1 / 2.2:1	425 yds / 65 lbs	44" / 19"	26
FX2-600	24	5:1 / 2.2:1	500 yds / 65 lbs	44" / 19"	26
FX2-600NN	22	5:1 / 2.2:1	300 yds / 65 lbs	44" / 19"	26

Note: All models are available in left hand retrieve.

TERN2™




TERN2™ (TXD) REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
TXD-300X	14	6:1	325 yds / 30 lbs	38"	22
TXD-300	14	5:1	325 yds / 30 lbs	30.5"	22
TXD-400X	15	6:1	400 yds / 50 lbs	38"	24
TXD-400	15	5:1	400 yds / 50 lbs	30.5"	24
TXD-500XN	16	6:1	375 yds / 50 lbs	45"	26
TXD-500N	16	5:1	375 yds / 50 lbs	35"	26
TXD-500X	17	6:1	475 yds / 50 lbs	45"	26
TXD-500	17	5:1	475 yds / 50 lbs	35.5"	26
TXD-600XN	18	6:1	425 yds / 65 lbs	53"	28
TXD-600N	18	5:1	425 yds / 65 lbs	41.34"	28
TXD-600X	19	6:1	500 yds / 65 lbs	53"	28
TXD-600	19	5:1	500 yds / 65 lbs	41"	28

Note: All models are available in left hand retrieve.

TwinStarDrag® Technology

With the launch of the all-new TernStarDrag® Reel, Accurate® has innovated a new drag system yet again! The patent pending TwinStarDrag® is the first star drag system to put disc washers and friction plates on both sides of the main gear, applying pressure evenly to both sides, allowing for incredibly smooth line pay out. Bringing a twin drag system to a star drag was not easy, but it resulted in the ultimate star drag experience that will help you land more fish.



EVEN DRAG PRESSURE
PATENT PENDING

SINGLE SPEED

The new Tern2™ has the same solid features as its predecessor with new improvements taking it to another level of Star Drag reel. The Tern2™ has the Twin Star Drag® technology that is the first of its type in a star drag reel. The dual surface drag is smoother, and more powerful. The Tern2™ also has a (MGBS) Main Gear Bearing support system for a smoother, stronger operation. With all the added features we also designed (XCT) Xtreme Casting technology for longer more precise casts with less backlashes. This has been tested in west coast conditions with excellent results. The new Tern2™ is ready for time on the water.


- FIRST TWINSTARDRAG® (TSD) TECHNOLOGY FOR A SMOOTH, POWERFUL DRAG
- ACCURATE® XTREME CASTING TECHNOLOGY™ (XCT) FOR EASE OF CASTING FOR INCREASED DISTANCE WITH LESS BACKLASHES
- ACCURATE® CVX® TECHNOLOGY FOR LIGHTWEIGHT AND STRONG REELS
- MAIN GEAR BEARING SUPPORT (MBS) PATENT PENDING FOR SMOOTHER, STRONGER OPERATION
- STAINLESS STEEL GEARS FOR STRONG CRANKING POWER
- 6 ABEC 5 BEARINGS
- MADE OF 6061 T6 AIRCRAFT ALUMINUM FOR STRENGTH AND LIGHTWEIGHT
- SIDE SPOOL TENSION ADJUSTMENT FOR FINE TUNING OF SPOOL

ATD®



- HEAT TREATED PINION GEARS • PATENTED TWINDRAG® SYSTEM • ACCUDRAGS
- 7 CLASS-5 ABEC STAINLESS STEEL BEARINGS • 17-4 STAINLESS STEEL GEARS
- STAINLESS-STEEL SPRINGS AND CLIPS
- 2 STAINLESS STEEL ANTI-REVERSE DOGS
- PATENTED DIRECSHIFT® 2-SPEED MECHANISM FOR INSTANT ENGAGEMENT

TOPESS



ATD® REELS

MODEL	WEIGHT (oz)	GEAR RATIO	BRAID CAP	INCHES PER CRANK	MAX DRAG
ATD-6T	41	5:1 / 2.3:1	450 yds / 50 lbs	42" / 19"	30+
ATD-12T	42	5:1 / 2.3:1	400 yds / 80 lbs	42" / 19"	30+
ATD30-30T	47	4:1 / 1.7:1	500 yds / 130 lbs	37" / 16"	40+
ATD50-50T	58	3.3:1 / 1.2:1	600 yds / 130 lbs	36" / 13"	50+
ATD-50W	60	3.3:1 / 1.2:1	750 yds / 130 lbs	36" / 13"	50+
ATD-80	135	2.2:1 / 1:1	900 yds / 200 lbs	33" / 15"	80+
ATD-80W	147	2.2:1 / 1:1	1100 yds / 200 lbs	33" / 15"	80+
ATD-130	192	2.2:1 / 1:1	2000 yds / 200 lbs	39" / 18"	80+

ATD-6T and ATD-12T are topeless ONLY and are also available in low speed "Super" option

The ATD® Platinum™ TwinDrag® is the Flagship series of the Accurate® line. Designed with Accurate's patented TwinDrag® feature to deliver smooth, powerful drags, the larger ATD® models put out in excess of 100 pounds of drag for targeting giant Bluefin Tuna and Marlin. These reels have been internally designed to handle high drag loads by applying an even amount of pressure on both sides of the reel with two synced dogs to provide the ultimate stopping power. The ATD® offers a smooth, even drag that is consistent through the fight with little to no start up inertia, alleviating the possibility of high drag spikes when line comes off the reel. If you are looking to harness the ultimate stopping power for big game fishing, the ATD® is the finest reel on the market of its kind.

TWO SPEED



VALIANT® RODS

Accurate Fishing Products®, originator of the Valiant® reel, has expanded their product line to introduce the first line of Valiant® rods. Anglers often have questions about what rod to pair with their new Valiant® reel. There is now a perfect match for each Valiant® reel from size 300-800. Fishing rod technology has evolved drastically in the past decade, but until now, there have not been many good options for anglers seeking a lightweight, yet powerful rod to match the light weight and power of their Valiant® reels. The systematic approach of building the rods to match the reels was seamless and we believe we have a line of rods that is perfect for whatever type of hard-fighting saltwater gamefish you want to take on.

- LIGHTWEIGHT, POWERFUL COMPOSITE CONSTRUCTION
- HIGH QUALITY TANGLE-FREE GUIDES
- CUSTOM FIT COMPONENTS TO MATCH THE REELS
- 13 MODELS DESIGNED TO FIT BV-300 TO BV-800 REELS
- 1 YEAR WARRANTY AGAINST DEFECTS IN MATERIALS OR WORKMANSHIP

VALIANT® RODS

MODEL	LENGTH	LINE RATING	GUIDE #	TOTAL HAND LENGTH	FOREGRIP	REAR GRIP	WEIGHT (oz)
BV-68M-SP	6'8"	30-40 BRAID	11	21.25	1.5	2.125	4.7
BV-68MH-SP	6'8"	50-65 BRAID	11	21.25	1.5	2.125	5
BV-70ML	7'	30-40 BRAID	9	30.375	11.75	13	10.5
BV-70M	7'	40-50 BRAID	9	30.375	11.75	13	10.9
BV-70MH	7'	50-65 BRAID	9	30.375	11.75	13	12
BV-70H	7'	65-80 BRAID	9	35.625	16.375	13.5	13.2
BV-70XXXH	7'	60-130 BRAID	9	38.25	18	11.5	29.2
BV-X76MH	7'6"	50-65 BRAID	10	30.375	11.75	13	12.9
BV-X76H	7'6"	65-80 BRAID	10	35.625	16.375	13.5	14.3
BV-80ML	8'	30-40 BRAID	11	30.375	11.75	13	11.8
BV-80M	8'	40-50 BRAID	11	30.375	11.75	13	12.2
BV-80MH	8'	50-65 BRAID	11	30.375	11.75	13	13.7
BV-80H	8'	65-80 BRAID	11	35.625	16.375	13.5	14.9



VALIANT® COMBO

"WHAT ROD SHOULD I PUT MY VALIANT® ON?" is one of the most common questions we get from anglers here at Accurate®. We have now taken that worry away. This rod series is made to match with the Valiant® line of reels. High quality composite construction, excellent components and four different lengths for the perfect match to your Valiant® 300 - 800.



VALIANT® REEL / ROD COMBO


ROD MODEL	LENGTH	LINE RATING	SUGGESTED REEL	ROD WEIGHT (oz)	REEL WEIGHT (oz)	COMBO WEIGHT (lbs)
BV-68M-SP	6'8"	30-40 BRAID	BV-300	4.7	9.9	0.913
BV-68MH-SP	6'8"	50-65 BRAID	BV-500N	5	15	1.250
BV-70ML	7'	30-40 BRAID	BV-300	10.5	9.9	1.275
BV-70M	7'	40-50 BRAID	BV-400	10.9	14	1.556
BV-70MH	7'	50-65 BRAID	BV-500	12	16	1.750
BV-70H	7'	65-80 BRAID	BV-600	13.2	19	2.013
BV-70XXXH	7'	60-130 BRAID	BV-800	29.2	25	3.388
BV-X76MH	7'6"	50-65 BRAID	BV-500	12.9	16	1.806
BV-X76H	7'6"	65-80 BRAID	BV-600	14.3	19	2.081
BV-80ML	8'	30-40 BRAID	BV-300	11.8	9.9	1.356
BV-80M	8'	40-50 BRAID	BV-400	12.2	14	1.638
BV-80MH	8'	50-65 BRAID	BV-500	13.7	16	1.856
BV-80H	8'	65-80 BRAID	BV-600	14.9	19	2.119

PIRANHA™ PLIERS





DESIGNED TO BE STRONG & LIGHT

The new MINI jaw size features smaller jaws perfect for smaller split rings with the strength of our other Piranha Plier models!

- COMPACT 7 INCH LENGTH AND 4.2 OZ.
- LIGHTWEIGHT 6061 ALUMINUM CONSTRUCTION
- ANODIZED FINISH
- REPLACEABLE JAWS AND CUTTERS
- ERGONOMIC DESIGN FOR EASY GRIP COMFORT
- CUTS BRAID AND MONO
- CARBIDE JAWS AND CUTTERS
- SPRING LOADED DESIGN



PLIER ACCESSORIES



REEL ACCESSORIES

NEXT GEN ROUND KNOB KIT (B-9652)
Red Shown,
Also Available in :
Black, Gold, Blue and Silver



REEL COVERS
Available in four sizes
(ARC-S)
(ARC-M)
(ARC-L)
(ARC-XL)





Accurate[®]

For More Information
Visit Accurate Fishing[®] Online At:

www.ACCURATEFISHING.com



@ACCURATEFISHING

Additional Reel Information
Reel Service And Maintenance Tips
Additional Accessories
Charters, Trips, And Lodges

