

Designers & Manufacturers of Marine Products

2018 CATALOGUE



OUR CREW AND FACILITIES

OCEANSOUTH is a world leader as one of the largest Designer & Manufacturer of boating accessories in the Marine Leisure Industry. With over 30 years of experience in production our range of products now number in the thousands and warehouses in the U.S.A, Australia, New Zealand, Europe and China enable a distribution network to service over 40 countries around the world.

OCEANSOUTH USA is located in Coral Springs, Florida and was opened in 2014 to answer our customers' requests to be supplied directly. Our facility in Florida includes offices with trained staff to answer all your questions, product assembly areas for the products specially designed for the American market and a fully stocked warehouse, so whatever you need, it will always be in stock.

Boaters all around the world use and enjoy **OCEANSOUTH** products in a wide range of boating activities because OCEANSOUTH takes pride in designing products with flexibility of application with the best possible quality at the best possible price.

Hope you enjoy our 2018 catalogue,

Safe Boating
OCEANSOUTH TEAM





OCEANSOUTH USA INC

3906-3908 NW 126th Avenue, Coral Springs, Florida 33065

Tel: +1 954 575 8444 Fax: +1 954 575 8899 sales@oceansouth.us



OCEANSOUTH AUSTRALIA

1-3 Urban Street, Braeside, Victoria 3195,

Tel: +61 3 9580 0015 Fax: +61 3 9580 7844 sales@oceansouth.com.au



OCEANSOUTH EUROPE GmbH

Am Tidehafen 4, 26931 Elsfleth, Germany Tel: +49 440 42090030 sales@oceansouth.de



OCEANSOUTH NEW ZEALAND LTD

60 Hillside Road, Wairau Valley, Auckland 0627,

Tel: +64 9 5513054 Fax: +64 9 5513053 sales@oceansouth.co.nz



OCEANSOUTH CHINA CO. LTD.

938 Nanfeng Road, Fengcheng, Fengxian, Shanghai 201411 Tel: +86 21 5752 2291 Fax: +86 21 5752 1753

Fax: +86 21 5752 1753 info@oceansouth.com



OCEANSOUTH JIANGSU CO. LTD.

Currently under construction, our new manufacturing facility covers an area of 11.000 square metres, will feature state of the art streamlined production, automation work station and testing facilities.

CONTENTS

OUTBOARD COVERS	PAGE	
Custom Fit Outboard Covers Vented & Storage - Evinrude	06	B ₀
Custom Fit Outboard Covers Vented & Storage - Mercury	07	Jı
Custom Fit Outboard Covers Vented & Storage - Yamaha	08	C B
Custom Fit Outboard Covers Vented & Storage - Suzuki	09	R
Manufacturers Measurement Guide	10	С
Universal Full Outboard Cover	11	S
Universal Half Outboard Cover	12	0
TORO		In
TOPS		Je
T-Top Retractable	14	В
Т-Тор	15	В
T-Top Heavy Duty	16	С
T-Top Heavy Duty Console Mount	17	Jo
Airflow Extensions for T-Top	18	В
Aiflow Extensions for Cabin boats	19	
T-Top Console covers	20	В
Rocket Launcher	21	W
Universal T-Top Spray Shield	22	W
T-Top Components	23	Α
Rocket Launcher Components	23	S
Targa Tops Components	23	Fi
Targa Tops	24	С
		Ti
BIMINI TOPS	PAGE	S
Integrated Storage Boot System	26	Fi
2 Bow Bimini	26	D
3 Bow Bimini	27	С
4 Bow Bimini	27	S
Whitewater Bimini	28	В
'Clamp-on' Rocket Launcher	28	
Aluminium Bimini Components	29	
Bimini Extension Kit	30	

BOAT COVERS	PAGE
BOAI COVERS	PAGE
Boat Cover Features	32
Measurement Instructions	33
Jumbo Cover	34
Cabin Cruiser Cover	34
Bowrider Cover	35
Runabout Cover	35
Centre Console Cover	36
Side Console Cover	36
Open Boat Cover	37
Inflatable Boat Cover	37
Jet Ski Cover	38
Boat Cover Vent	39
Boat Cover Twin Rope	
Cleat Ratchet	39
John Boat Cover	39
Boat Cover Support Pole Kit	40
BOAT SEATING	PAGE

BOAT SEATING	PAGE
Wave Rider Pedestal	42
Wave Rider Socket Pedestal	43
Adjustable Seat Pedestal	44
Seat Belle Pedestal	44
Fixed Pedestal	45
Coated Metal Swivel	45
Titan Swivel	46
Sirocco Folding Seat	47
Fisherman Seat	48
Deluxe Folding Seat	48
C-Seat	49
Skipper Seat	49
Boat Seat Cover	50

FISHING GEAR	PAGE
Small & Large Bait & Fillet Table	52
Heavy Duty Extra Large Bait & Fillet Table	53
Stainless Steel Rod Holders	54
Drift Sock	55
Rod Holders 90° & 30°	56
SAILING GEAR	PAGE
Hatch Cover	58
Winch Cover	59
Sailboat Awning	60
LADDERS	PAGE
Short & Long Base Ladders	62
Gunwale Ladders	63
Alloy Ladders	63
Handrails	64
PADDLES & OARS	PAGE
Boat Hooks	66
Paddles	66
Asymmetric Kayak Paddles	67
2 Piece Aluminium Oars	68
Outboard Transom Plate	69



CUSTOM FIT DESIGNED TO FIT YOUR ENGINE







VENTED COVER

DESIGNED

TO STAY ON

WHEN

MOTORING

CODE	EVINRUDE ENGINE
E00-V	G2 V6 3.4L 225HP, 250HP, 300HP, 200H.O, 225H.O, 250H.O
E02-V	G2 V6 2.7L 150HP, 175HP, 200HP, 150H.O
E05-V	E-TEC V6 3.3L 225HP, 250HP, 300HP, 200H.O, 225H.O, 250H.O
E10-V	E-Tec V6 2.6L 150HP, 175HP, 200HP, 135H.O, 150H.O
E15-VH	E-Tec V4 1.7L 115H.O, 130HP
E15-V	E-Tec V4 1.7L 115HP, 90HP
E20-V	E-Tec 3CYL 1.3L 75HP, 90HP, 60H.O
E25-V	E-Tec 2CYL 863CC 40HP, 50HP, 60HP
F30-V	E-Tec 2CYL 577CC

25HP, 30HP, 15H.O

HALF COVER

CODE	EVINRUDE ENGINE
E00-S	G2 V6 3.4L 225HP, 250HP, 300HP, 200H.O, 225H.O, 250H.O
E02-S	G2 V6 2.7L 150HP, 175HP, 200HP, 150H.O
E05-S	E-Tec V6 3.3L 225HP, 250HP, 300HP, 200H.O, 225H.O, 250H.O
E10-S	E-Tec V6 2.6L 150HP, 175HP, 200HP, 135H.O, 150H.O
E15-S	E-Tec V4 1.7L 115HP, 130HP, 90H.O
E20-S	E-Tec 3CYL 75HP, 90HP
E25-S	E-Tec 2CYL 40HP, 50HP, 60HP
E30-S	E-Tec 2CYL 25HP, 30HP, 15H.O

FULL COVER

CODE	EVINRUDE ENGINE	LEG
E00-20	G2 V6 3.4L 200H.O to 300HP	20"
E00-25	G2 V6 3.4L 200H.O to 300HP	25"
E00-30	G2 V6 3.4L 200H.O to 300HP	30"
E02-20	G2 V6 2.7L 150HP to 200HP	20"
E02-25	G2 V6 2.7L 150HP to 200HP	25"
E05-20	E-Tec V6 3.3L	20"
	200HP to 300HP	
E05-25	E-Tec V6 3.3L	25"
F05 00	200HP to 300HP	
E05-30	E-Tec V6 3.3L	30"
E10-20	200HP to 300HP E-Tec V6 2.6L	20"
E10-20	135HP to 200HP	20"
E10-25		25"
L 10-23	135HP to 200HP	
E15-20	E-Tec V4 1.7L	20"
	90H.O to 130HP	
E15-25	E-Tec V4 1.7L	25"
	90H.O to 130HP	
E20-20	E-Tec 3CYL 75HP ,90HP	20"
E20-25	E-Tec 3CYL 75HP, 90HP	25"
E25-20	E-Tec 2CYL	20"
	40HP, 50HP, 60HP	
E30-15		15"
	15H.O, 25HP, 30HP	
E30-20	E-Tec 2CYL	20"
l	15H.O, 25HP, 30HP	-~

MERCURY OUTBOARD COVERS





DESIGNED TO STAY ON WHEN **MOTORING**

VENTED COVER

CODE	MERCURY ENGINE
M00-V	Verado 6CYL 2.6L 400R, 200HP, 225HP, 250HP, 300HP, 350HP, 200HP PRO, 250HP PRO, 300HP PRO
M05-V	Verado 4CYL 1.7L
WU5-V	135HP,150HP,175HP,200HP
M10-V	4 str 4CYL 3.0L
	135HP, 150HP
M15-V	4 str 4CYL 2.1L 75HP, 80HP, 90HP, 100HP, 115HP
M20-V	4 str 4CYL 995CC
WI∠U-V	40HP, 50HP, 60HP
M25-V	4 str 3CYL 526CC
	25HP, 30HP, 40HP



HALF COVER		
CODE	MERCURY ENGINE	
M00-S	Verado 6CYL 2.6L 400R, 200HP, 225HP, 250HP, 300HP, 350HP, 200HP PRO, 250HP PRO, 300HP PRO	
M05-S	Verado 4CYL 1.7L	
W05-5	135HP,150HP,175HP,200HP	
M10-S	4 str 4CYL 3.0L	
W 10-3	135HP, 150HP	
M15-S	4 str 4CYL 2.1L 75HP, 80HP, 90HP, 100HP, 115HP	
M20-S	4 str 4CYL	
WI2U-5	40HP, 50HP, 60HP	
M25-S	4 str 3CYL	
14125-3	25HP, 30HP, 40HP	

CUSTOM FIT DESIGNED TO FIT YOUR **ENGINE**







FULL COVER

		CODE	MERCURY ENGINE	LEG
1		M00-20	Verado 6CYL 2.6L 200HP to 400HP	20"
		M00-25	Verado 6CYL 2.6L 200HP to 400HP	25"
		M00-30	Verado 6CYL 2.6L 200HP to 400HP	30"
		M05-20	Verado 4CYL 1.7L 135HP to 200HP	20"
		M05-25	Verado 4CYL 1.7L 135HP to 200HP	25"
		M10-20	4str 4CYL 3.0L 130HP,150HP	20"
1		M10-25	4str 4CYL 3.0L 130HP,150HP	25"
		M15-20	4str 4CYL 2.1L 75HP to 115HP	20"
		M15-25	4str 4CYL 2.1L 75HP to 115HP	25"
	İ	M20-15	4str 4CYL 40HP,50HP,60HP	15"
		M20-20	4str 4CYL 40HP,50HP,60HP	20"
		M20-25	4str 4CYL 40HP,50HP,60HP	25"
		M25-15	4str 3CYL 25HP,30HP,40HP	15"
		M25-20	4str 3CYL 25HP,30HP,40HP	20"





















EVINRUDE OUTBOARD COVERS

E30-V

DESIGNED TO STAY ON WHEN MOTORING

VENTED COVER

CODE	YAMAHA ENGINE
Y00-V	V8 5.3L
100-1	F350
Y05-V	V6 4.2L
100-1	F225, F250, F300
Y10-V	4CYL 2.8L
1 10-4	F150, F175, F200
Y15-V	4CYL 2.7L
119-4	150HP
Y20-V	4CYL 1.8L
120-4	F115, F130
Y24-V	4CYL 1.8L
124-4	F90C, F100F
Y25-V	4CYL 996CC
	F50, F60, F70
Y30-V	3CYL 747CC
130-4	F30, F40
Y35-V	2CYL 498CC
1 33-4	F25D
	2CYL 498CC
Y35-VP	PULL START
	F25D



HALF COVER

V8 5.3L

F350 V6 4.2L

150HP 4CYL 1.8L

YAMAHA ENGINE

F225, F250, F300 4CYL 2.8L

F150, F175, F200 4CYL 2.7L

115HP, 130HP 4CYL 1.8L

F90C, F100F

F50, F60, F70

4CYL

3CYL

F25D

F30, F40 2CYL

CODE

Y00-S

Y05-S

Y10-S

Y15-S

Y20-S

Y24-S

Y25-S

Y30-S

Y35-S







FULL COVER

	CODE	YAMAHA ENGINE	LEG
1	Y00-25	V8 5.3L F350	25"
	Y00-30	V8 5.3L F350	30"
l	Y05-25	V6 4.2L	25"
4		F225, F250, F300	
I	Y05-30	V6 4.2L	30"
ļ		F225, F250, F300	
I	Y10-20	4CYL 2.8L	20"
		F150, F175, F200	
I	Y10-25	4CYL 2.8L	25"
I		F150, F175, F200	1
1	Y15-20	4CYL 2.7L 150HP	20"
I	Y15-25	4CYL 2.7L 150HP	25"
1	Y20-20	4CYL 1.8L 115HP, 130HP	20"
	Y20-25	4CYL 1.8L 115HP, 130HP	25"
l	Y24-20	4CYL 1.8L F90C, F100F	20"
$\left\{ \right.$	Y24-25	4CYL 1.8L F90C, F100F	25"
l	Y25-20	4CYL F50, F60, F70	20"
_	Y30-20	3CYL F30, F40	20"
	Y35-15	2CYL F25D	15"
	Y35-20	2CYL F25D	20"

SUZUKI OUTBOARD COVERS





DESIGNED TO STAY ON WHEN **MOTORING**

VENTED COVER

CODE	SUZUKI ENGINE
S00-V	V6 4.0L
300-V	DF250AP, DF300AP
S05-V	V6 3.6L
305-V	DF200, DF225, DF250
S06-V	4CYL 2.8L
300-V	DF150AP, DF175AP, DF200AP
S10-V	4CYL 2.8L
310-V	DF150, DF175
S15-V	4CYL 2.0L
315-V	DF100A, DF115A, DF140A
S20-V	4CYL 1.5L
320-V	DF70A, DF80A, DF90A
S25-V	3CYL 941CC
323-V	DF40A, DF50A, DF60A
S30-V	3CYL 489CC
330-4	DF25A, DF30A







HALF COVER


CODE	SUZUKI ENGINE	CODE	SUZUKI ENGINE
000.0	V6 4.0L	S00-25	1
S00-S	DF250AP, DF300AP		DF250AP, DF300AP
S05-S	V6 3.6L	S00-30	V6 4.0L DF250AP, DF300AP
303-3	DF200, DF225, DF250	S05-25	· · · · · · · · · · · · · · · · · · ·
S06-S	4CYL 2.8L	305-25	DF200, DF225, DF250
000-0	DF150AP, DF175AP, DF200AP	S05-30	V6 3.6L
040.0	4CYL 2.8L		DF200, DF225, DF250
S10-S	DF150, DF175	S06-25	4 CYL 2.8L
045.0	4CYL 2.0L]	DF150AP, DF175AP, DF200A
S15-S	DF100A, DF115A, DF140A	S06-30	1
	4CYL 1.5L	1	DF150AP, DF175AP, DF200A
S20-S	DF70A, DF80A, DF90A	S10-20	4 CYL 2.8L DF150, DF17
	3CYL	S10-25	4 CYL 2.8L DF150, DF17
S25-S	DF40A, DF50A, DF60A	S15-20	4 CYL 2.0L
000.0	3CYL	11	DF100A, DF115A, DF140A
S30-S	DF25A, DF30A	S15-25	4 CYL 2.0L





	OODL	OOZOIN LINGINE	LLC
	S00-25	V6 4.0L DF250AP, DF300AP	
1	S00-30	V6 4.0L DF250AP, DF300AP V6 3.6L	
1	S05-25	V6 3.6L DF200, DF225, DF250	
<u>'</u>	S05-30	V6 3.6L DF200, DF225, DF250	30"
\dashv	S06-25	4 CYL 2.8L DF150AP, DF200AP	25"
\dashv	S06-30	4 CYL 2.8L DF150AP, DF200AP	30"
	S10-20	4 CYL 2.8L DF150, DF175	
\dashv	S10-25	4 CYL 2.8L DF150, DF175	25"
4	S15-20	4 CYL 2.0L DF100A, DF115A, DF140A	20"
	S15-25	4 CYL 2.0L DF100A, DF115A, DF140A	25"
	S20-20	4 CYL 1.5L DF70A, DF80A, DF90A	20"
	S20-25	4 CYL 1.5L DF70A, DF80A, DF90A	25"
	S25-20	3 CYL DF40A, DF50A, DF60A	20"
	S25-25	3 CYL DF40A, DF50A, DF60A	25"
	S30-15	3 CYL DF25A, DF30A	15"













CYCLONE PROTECT™ PREMIUM WOVEN DOPE DYED POLYESTER FABRIC WITH NON WOVEN BACKING











S30-20 3 CYL DF25A, DF30A

SUZUKI OUTBOARD COVERS

20"

MEASUREMENT GUIDE

UNIVERSAL FULL OUTBOARD COVER MEASUREMENT GUIDE

CODE	SUZUKI 4 STROKE (Shaft length)	YAMAHA 4 STROKE (Shaft length)	MERCURY 4 STROKE (Shaft length)	EVINRUDE E-TEC (Shaft length)	HONDA 4 STROKE (Shaft length)
MA 075-1	DF2.5 (15 in)	F2.5 (15 in)	2.5,3.5 (15 in)	3.5 (15 in)	BF2.3 (15 in)
MA 075-2	DF4, DF5 (15 in) DF6 (15/20 in)	F4 (15/20 in) F6 (15/20 in)	3.5 (20 in) 4,5,6 (15/20 in)	4 (15/20 in) 6 (15/20 in)	BF2.3 (20 in) BF5 (15/20 in)
MA 075-3	DF8 (15/20 in) DF9.9 (15/20 in) DF15A (15/20 in) DF20A(15/20 in)	F8, F9.9 (15/20 in) T9.9 HIGH THRUST (20 in)	5 (25 in) 8, 9.9 (15/20 in) 9.9 Pro Kicker (20 in) 9.9 Big Foot (20 in)	8 (15/20 in) 9.8 (15/20 in)	BF8 (15/20 in) BF9.9 (15/20 in)
MA 075-4	DF25A (15/20 in) DF30A (20 in)	T9.9 HIGH THRUST (25 in) F15 (15/20 in) F20 (15/20 in)	9.9 (25 in) 15,20 (15/20 in) 9.9 Pro Kicker (25 in) 9.9 Big Foot (25 in) 15 Pro Kicker (20 in)	9.8 (25 in) 15 (15/20 in) 25 (15/20 in) 30 (15/20 in)	BF9.9 (25 in) BF15 (25 in) BF20 (25 in)
MA 075-5	DF40A, DF50A (20 in) DF60A (20 in)	F25 (15/20 in) T25 HIGH THRUST (20 in)	15 Pro Kicker (25 in) 25,30 EFI (15/20 in) 25 EFI JET (15/20 in)	40, 50, 60 (20 in)	BF25 (15/20 in) BF30 (15/20 in)
MA 075-6	DF60A (25 in) DF60AV (20/25 in) DF70A (20 in) DF90A (20 in)	F30,F40,F50 (20 in) F60,F70,F75 (20 in) F80,F90 (20 in) T50,T60 (20 in) HIGH THRUST (20 in) F60 JET DRIVE (25 in) F100D (20 in)	40 EFI (15/20 in) 60 EFI (20 in) 40, 50, 60 EFI CT (20 in) 40 EFI JET (15/20 in)	75 (25 in) 90 (20 in)	BF40 (20 in) BF50 (20 in) BF60 (20 in) BF75 (20 in) BF90 (20 in)
MA 075-7	DF70A (25 in) DF90A (25 in) DF115A (20/25 in) DF140A (20/25 in) DF100 (20/25 in) DF150 (20/25 in) DF175 (20/25 in)	F80 (25 in) F90 (25 in) F100D (25 in) F115 (20/25 in) F150 (20/25 in) F90 JET DRIVE (25 in) F115, F150 JET DRIVE (25 in) VF115 VMAX SHO (20 in)	60 EFI CT (25 in) 90, 115 EFI CT (20/25 in) 75 EFI (20 in) 90,100,115 (20/25 in) 150 EFI (20/25 in) 80 EFI JET (20 in) 75 OPTIMAX (20 in) 90, 115 (20/25 in) 125 OPTIMAX (20/25 in) 115 OPTIMAX PRO XS (20/25 in)	75,90 (25 in) 115, 130 (20/25 in) 150 (20/25 in) 90 H.O. (20/25 in) 115 H.O. (20/25 in) 135 H.O. (20/25 in) 150 H.O. (20/25 in) 175 (20/25 in)	BF50 (25 in) BF60 (25 in) BF90 (25 in) BF115 (20/25 in) BF135 (20/25 in) BF150 (20/25 in)
MA 075-8	DF200, DF225 (25 in) DF250 (25 in) DF200A (25 in)	F175, F200 (20/25 in) VF150, VF175 (20/25 in) VMAX SHO (20/25 in)	135,150 VERADO (20/25 in) 175,200 VERADO (20/25 in)	200,225 (20/25 in) 200 H.O. (20/25 in) 225 H.O. (20/25 in) 250 (25 in)	BF200 (20/25 in) BF225 (20/25 in)
MA 075-9	DF250AP (25 in) DF300AP (25 in)	F200 V6 (25 in) F225 V6 (25 in) F250 V6 (25 in) F225,F250 (25 in) F300 OFFSHORE (25 in) VF200, VF225 (20 in) VMAX SHO (20 in) VF250 VMAX SHO (20/25 in)	200,250 OPTIMAX (25 in) 225 OPTIMAX (20/25 in) 150 OPTIMAX PRO XS (20/25 in) 175 OPTIMAX PRO XS (20/25 in) 200 OPTIMAX PRO XS (20/25 in) 225 OPTIMAX PRO XS (20/25 in) 250 OPTIMAX PRO XS (20/25 in) 250 OPTIMAX PRO XS (20/25 in) 250,300 VERADO (20/25 in) 250 VERADO (25 in) 200 VERADO (30 in) 250 VERADO (30 in) 300 VERADO PRO (20/25 in)		BF250 (20/25 in)
MA 075-9L (long leg)	DF250AP (30 in) DF300AP (30 in) DF225 (30 in) DF250 (30 in)	F250 OFFSHORE (30 in) F300 OFFSHORE (30 in)	250 OPTIMAX (30 in) 225,250 VERADO (30 in) 300,350 VERADO (30 in)	250, 300 (30 in) E-TEC G2 200-300 hp (30 in)	BF225 (30 in) BF250 (30 in)

NOTE: If your engine model is not listed above please use the general measurement guide (page 11).

UNIVERSAL FULL OUTBOARD COVERS

- Soft felt lining for superior protection.
- CYCLONE PROTECT fabric 11.21 oz/yd².
- Zip up leg section with draw string to ensure snug fit.
- 9 sizes to suit 2 & 4 stroke engines.
- Reinforced top stitched seams.
- Available in Gray or Black.











NEW size



Reinforced top-stitched seams.

Drawstring & zipper size #10 for a secure snug fit.





USE FULL UNIVERSAL OUTBAORD COVER
MEASUREMENT GUIDE FOR ACCURATE SIZING (PAGE 10)

CHOOSING THE CORRECT SIZE.

Measure your engines circumference and height to ensure correct fit.

CODE	FITS ENGINE SIZES	CIRCUMFERENCE	HEIGHT
MA 075 - 1	Up to 3.5hp	49.6"	38.6"
MA 075 - 2	3.5 - 6hp	55.1"	43.3"
MA 075 - 3	8 - 20hp	59.1"	49.2"
MA 075 - 4	9.9 - 30hp	65"	53.9"
MA 075 - 5	25 - 60hp	70.9"	56.7"
MA 075 - 6	40 - 100hp	78.7"	66.9"
MA 075 - 7	70 - 150hp	89"	74.8"
MA 075 - 8	135 - 250hp	96.6"	77.6"
MA 075 - 9	200 - 300hp	100"	77.9"
MA 075 - 9L	200 - 300hp	100"	82.6"
44.44	*		





(Black) **BK**

*COLOR CODE REQUIRED WHEN ORDERING e.g MA 075-1G, MA 075-1BK

UNIVERSAL OUTBOARD COVER

UNIVERSAL HALF OUTBOARD COVERS

- Soft felt lining for superior protection.
- CYCLONE PROTECT fabric 11.21 oz/yd².
- Draw string to ensure snug fit.
- 6 sizes to suit 2 & 4 stroke engines.
- Reinforced top stitched seams.
- Available in Gray.
















Draw string to ensure snug fit


MEASUREMENT GUIDE



CHOOSING THE CORRECT SIZE.

Measure your engines height, length and width to ensure correct fit.

CODE	FITS ENGINE SIZES	LENGTH	WIDTH	HEIGHT
MA 074 - 1	Up to 15hp	20.5"	10.6"	12.6"
MA 074 - 2	15 - 30hp	22"	11.8"	15.7"
MA 074 - 3	30 - 60hp	24.4"	14.2"	19.3"
MA 074 - 4	60 - 100hp	26.8"	15.7"	20.9"
MA 074 - 5	100 - 150hp	29.1"	18.1"	22.8"
MA 074 - 6	175 - 250hp	32.3"	19.7"	23.6"



Oceansouth NEW Retractable T-Top has been designed to be lowered for easy storage and to reduce 'wind lift' when trailering.

Adjustable to fit a range of centre console widths and provides perfect weather protection over the wheel.

11/4

Tubing

T-TOP

The Classic Oceansouth T-Top, a well-tested favourite over the years Adjustable uprights and side mounts will fit a range of centre console widths.



Tubing

T-Top Features

- 79" height. Can be shortened to required height.
- Ø 1¼" bright dipped aluminium tube.
- Heavy Duty Dope dyed polyestehr fabric 9.44oz/yd²
- Top can be removed for storage.
- All connectors and mounts made from marine grade polymers.
- 316 grade stainless steel fasteners.
- Medium assembling skills required.
- Available in Blue or Black




OPTIONAL COMPONENTS











T-Top Width T-Top Length Height Height

	CODE	T-TOP LENGTH	T-TOP WIDTH	MAX HEIGHT	RETRACTED HEIGHT
) >	MA 082 - 0	53"	41"	79"	55"
	MA 082 - 1	67"	47"	79"	55"
	MA 082 - 2	67"	55"	79"	55"
	(Blue)B	(Black)BK		ATLAS DOPE DYE 9.44oz/yd	D POLYESTER CANVAS
	*COLOR CODE REQUIRED WHEN ORDERING e.g MA 082-0B, MA 082-0BK				ERING

T-Top Features


- 81" height. Can be shortened to required height
- Ø1 ¼" bright dipped aluminium tube.
- Heavy Duty Dope dyed polyester fabric 9.44oz/yd².
- Top can be removed for storage.
- Equipment can be mounted on upright crossbars.
- All connectors and mounts made from marine grade polymers.
- 316 grade stainless steel fasteners.
- Medium assembling skills required.
- Available in Blue or Black.



OPTIONAL COMPONENTS







CODE	T-TOP LENGTH	T-TOP WIDTH	MAX.CONSOLE WIDTH	
MA 080 - 1	67"	47"	33"	
MA 080 - 2	67"	55"	41"	
(Blue)B (Bl	ack) <mark>BK</mark>		ATLAS DOPE DVED POLYESTER CANVAS 9.440z/yd²	
*COLOR CODE REQUIRED WHEN ORDERING e.g MA 080-1B, MA 080-1BK				



Tubing

HD T-Top Features

- All components are manufactured with engineering Nylon blend, specifically formulated with superior structural qualities.
- Ø 1¾" bright dipped aluminium tube.
- 100% Dope dyed polyester ATLAS canvas *GOLDEN RANGE*.
- 316 grade stainless steel fasteners.
- Medium assembling skills required.








Mounting Options





CODE	DESCRIPTION			
MA 080-4	HEAVY DUTY T-TOP			
MA 080-4S	HEAVY DUTY T-TOP with Spray shield For consoles up to 28" Width			
MA 080-4SL	HEAVY DUTY T-TOP with Spray shield For consoles over 28" Width			
(Blue/Gray backed) B	(Black/Gray backed) BK			
*COLOR CODE REQUI	*COLOR CODE REQUIRED WHEN ORDERING e.g MA 080-4B, MA 080-4SB, MA 080 4SLB			

HEAVY DUTY T-TOP CONSOLE MOUNT

Mounting Options

Our New Console Mount design clears valuable passage ways. Can be fitted to side console or centre console boats.

Specially designed side mounts and uprights to allow maximum flexibility in mounting positions to suit the majority of console designs.


HD T-Top Features

- All components are manufactured with engineering Nylon blend, specifically formulated with superior structural qualities.
- Ø 1¾" bright dipped aluminium tube.
- 100% Dope dyed Two Tone polyester ATLAS canvas *GOLDEN RANGE*.
- 316 grade stainless steel fasteners.
- Medium assembling skills required.
- Available in Blue & Black.











OPTIONAL COMPONENTS











CODE	DESCRIPTION		
MA 080-5	HEAVY DUTY T-TOP Console Mount		
MA 080-5S	HEAVY DUTY T-TOP Console Mount with Spray shield For consoles up to 28" width		
MA 080-5SL	HEAVY DUTY T-TOP Console Mount with Spray shield For consoles over 28" width		
GOLDEN RANGE DOPE DIVESTER CANVAS 11.5002/yd			
(Blue/Gray backed) B (Black/Gray backed) BK			
*COLOR CODE RE	QUIRED WHEN ORDERING e.g MA 080-5B, MA 080-5SB, MA 080 5SLB		

HEAVY DUTY T-TOP


The bow shade is specifically designed for T-Tops and is easily attached to the front of the Top providing a wide shaded area.

The Airflow material allows excellent air circulation reducing heat or moisture build up.

Folds neatly away for compact storage.

Can also be installed for extended periods to protect bow cushions from damaging UV rays.





STERN SHADE KITS





The Stern shade kit is simple to install to extend the shade area, up to $90 \frac{1}{2}\text{"}.$

It is supplied with stainless steel telescopic poles (51" - 79") that fit securely into rod holder mounts so that the shade's height can be adjusted for comfortable seating or standing.


Folds neatly away when not in use.

Use at anchor or motoring up to 20 knots.





CODE	Α	В
MA 047-1	6ft	9ft
MA 047-2	7ft	9ft
MA 047-3	8ft	9.5ft
MA 047-4	9ft	10ft



CODE	Α	В
MA 045-1	5.5ft	4ft
MA 045-2	6.5ft	4ft
MA 045-3	7.5ft	4ft
MA 045-4	5.5ft	4ft
MA 045-5	6.5ft	4ft
MA 045-6	7.5ft	4ft

AIRFLOW BOAT SHADES

T-TOP CONSOLE COVERS



Center console T-Top cover is easily attached to the underside of T-Top. Designed to cover the console and helm seat. Full length side zipper allows easy fitting. Elasticized band across helm seat and top and bottom of cover ensures a positive fit around the equipment.

- 100% Dope dyed polyester fabric 7.6 oz/yd.
- Size #8 Delrin zipper.
- 1" Webbing & Nylon adjustment buckles.
- Available in Gray or Black.

ROCKET LAUNCHER

The free standing Oceansouth Rocket Launcher is an excellent addition to your boat so that rods can be safety stowed above deck space. It is easily assembled and features the unique universal mounts. The universal base mount features a bevelled base which enables a variety of possible mounting positions.



Tubing

NOTE: Optional Rail Mounts can be used to mount the rocket launcher on rails.

Rocket Launcher Features ■ Ø 1¼" bright - dipped aluminium tube.

- 6 Hi-Impact noncorrosive polymer rod holder - metallic finish.
- All connectors and mounts made from marine grade nylon.
- Rear Universal Base Mounts are fitted with Thumb Screws that enable the Rocket Launcher to be folded down.
- Crossbars can be used to mount equipment.
- Assembling skills required Medium.




OPTIONAL COMPONENTS 21023











ROCKET LAUNCHER CAN BE TRIMMED TO DESIRED WIDTH AND HEIGHT.

CODE	MAX.	MAX.	MAX.
	WIDTH	HEIGHT	MOUNTING WIDTH
MA 100	75"	65"	94"



ROCKET LAUNCHER

Wrap around spray shield provides excellent protection against the rain and wind, quick and easy to fit even out at

Available in two sizes:

Size 1.- for consoles up to 271/2"

Size 2.- for consoles over 271/2"

- Secure and easy attachment with Polyester webbing straps and adjustment buckles.
- Unobstructed side and front views.
- Reinforced Top and Base Hem for added strength against the strongest gales.
- Easily removed, roll up and store when not in use.

CODE	SIZE	A	В
MA 089-2	SIZE 1	104"	67"
MA 089-3	SIZE 2	119"	83"

T-TOP

COMPONENTS

T-Top Ø 11/4"

Heavy Duty T-Top Ø 1¾"

21040 MOUNT FOR NAVIGATION LIGHT



SIDE MOUNT

Ø 11/4"

Polymer S/S Screws

Ø 11/4"

Ø 11/4"

Nylon

21020

21021

21019

SIDE MOUNT

RETRACTABLE

BASE MOUNT

MOUNT FOR NAVIGATION LIGHT



21032

T JOINER


Reinforced











Ø 1¾" Capron HMGB Reinforced Nylon





ROD HOLDER

Ø 11/4"

High impact polymer metallic finish



BASE MOUNT

Capron HMGB Reinforced Nylon

Ø 1¾"









21040 MOUNT FOR **NAVIGATION**



polymer metallic finish



COMPONENTS





Ø 11/4" Polymer



TUBE CONNECTOR






105° (pair)

Ø 1¼"

Polymer







21150 ROD HOLDER

21031 - 105 JOINER





polymer metallic finish

TARGA TOPS

21085 PAIR OF 5 ° T- JOINERS Reinforced Nylon











T-TOP SPRAY SHIELD





Tubing

Targa Top Features

- 56" Height. Can be shortened to required height.
- Ø 1¼" bright dipped aluminium tube.
- Heavy duty Dope dyed polyester canvas 9.44oz/yd².
- Top can be removed for storage.
- All connectors and mounts made from marine grade polymers.
- 316 grade stainless steel fasteners.
- Medium assembling skills required.
- Available in Blue Gray or Black.







CODE	ТОР	WIDTH	FLEXIB	LE MOUNT WIDTH
MA 086-1		75"		75" - 83"
MA 086-2		83"		83" - 90"
(Blue)B	(Gray) G (I	Black) <mark>BK</mark>		AS E DYED POLYESTER CANVAS DZ/yd²

OCEANSOUTH

BIMINI TOPS

PROFESSIONAL QUALITY, SUITABLE FOR THE SERIOUS BOATER.



TARGA TOPS

NEW GENERATION ATLAS ATLAS

DOPE DYED POLYESTER CANVAS

Years of research have proven that DOPE DYED POLYESTER with maximum UV Inhibiters as developed by OCEANSOUTH is the strongest and superior product for outdoor use.



- 100% Dope dyed polyester fabric (600 denier) made of DTY/ATY yarns with the maximum UV Inhibiters.
 - Exceptional Color fastness.
 - The ultimate fabric that combines strength, abrasion resistance, dimensional stability.
 - Breathable and water repellent fabric.
 - Breathable and water repellent fabric.

Weight	9.44 oz/yd²
Tongue tear lb/in	30" x 22"h
Spray rating	100
Shrinkage	0x0
Stretch	<1 x <1
Tensile tear Ib/in	500 x 300
TESTED TO	
ISO 105-B02	GRADE 7
ISO 105-B04	GRADE 7

INTEGRATED STORAGE BOOT SYSTEM UNIQUE TO OUR ENTIRE BIMINI RANGE







Fold back



2 BOW BIMINI

5ft length









■ Maximum Speed Rating 45 knots.

CODE	CANOPY WIDTH	MOUNTING WIDTH
MA 060 - 1	39"	43" - 45"
MA 060 - 2	47"	51" - 59"
MA 060 - 3	55"	59" - 61"
(Blue)B	ATLAS	DOPE DYED POLYESTER CANVAS 9.4402/yd²

3 BOW BIMINI 6ft length






Runabouts


Open Boats





■ Maximum Speed Rating 45 knots.

CODE	CANOPY WIDTH	MOUNTING WIDTH
US 062 - 1	56"	61" - 66"
US 062 - 2	61"	67" - 72"
US 062 - 3	68"	73" - 78"
US 062 - 4	74"	79" - 84"







DOPE DYED POLYESTER CANVAS 9.44oz/vd²

*COLOR CODE REQUIRED WHEN ORDERING e.g US 062-1B, US 062-1G, US 06201BK

4 BOW BIMINI 8ft length












Open Boats Runabouts Center Console Thickness



■ Maximum Speed Rating 45 knots.

CODE	CANOPY WIDTH	MOUNTING WIDTH
US 064 - 1	56"	61" - 66"
US 064 - 2	61"	67" - 72"
US 064 - 3	68"	73" - 78"
US 064 - 4	74"	79" - 84"
US 064 - 5	80"	85" - 90"
US 064 - 6	85"	79" - 84"
ANAS. ANAS.	MA 4040A	<u> </u>








4ft length







Maximum Speed Rating 45 knots.

CODE	(CANOPY WIDT	Н	MOUNTING WIDTH
MA 090 - 0		47"		51" - 59"
MA 090 - 1		55"		59" - 61"
MA 090 - 2		63"		67" - 75"
MA 090 - 3		71"		75" - 83"
MA 090 - 4		79"		83" - 90"
			A	DOPE DYED POLYESTER CANVAS
(Blue) B (Gray) G	(Black) BK	AILA	9.44oz/yd²
	, , -		G e.g MA 09	90-1B, MA 090-1G, MA 090-1E

'CLAMP-ON' ROCKET LAUNCHER






The 'Clamp-on' Rocket Launcher has been designed to team with just about any bimini or canopy with 1" framework.

The sleek and robust design will compliment

Clamp-on Features

any boat top.

- 6 Hi-Impact noncorrosive polymer rod holders - metallic finish.
- Crossbars can be shortened to suit your bimini width.




ALUMINIUM BIMINI

COMPONENTS





21004









KNUCKLE



















WHITEWATER BIMINI

BIMINI EXTENSUION KIT

BIMINI EXTENSION KIT

Versatile sun shade kit which extends the shaded area of the Bimini. Allows airflow and gently filters the sun rays to provide a comfortable shaded area.

Takes only a few minutes to install and easily folded for compact storage. Can be used at anchor or motoring up to 20 knots.


FEATURES


- 51"- 78" Stainless Steel Telescopic poles with tapered collar ends, fit securely into rod holder mounts.
- Polyester webbing straps with adjustment buckles.
- Webbing reinforced surround edges and attachment loops.






CODE A MA 046 - 1 66" MA 046 - 2 66" 10.32oz/yd² PVC 45% - 65% shade Excellent tear and	56"	B STERN SIDE	BOW SIDE
SURI			











Double stitched overlapped seams for added strength.



All semi custom covers are supplied with tie-down straps, trailerable straps, and a handy storage bag. (Inflatable covers do not have trailerable straps).

NEW GENERATION



CYCLONE TM PREMIUM WOVEN DOPE DYED POLYESTER FABRIC

- 100% Dope dyed polyester fabric (600 denier) made of DTY yarns with the maximum UV Inhibiters.
 - Exceptional Color fastness.
 - The ultimate fabric that combines strength, abrasion resistance, dimensional stability.
 - Breathable and water repellent fabric.

DOLLAGORED	TYPICAL DOPE DYED POLYESTER YARN
------------	---

Years of research have proven that dope dyed polyester with maximum UV Inhibiters is the strongest and a superior product for outdoor use.

Weight	9 oz/yd²	
Tongue tear lb/in	29" x 20"	
Spray rating	100	
Shrinkage	0x0	
Stretch	<1 x <1	
Tensile tear Ib/in	490 x 300	
TESTED TO		
ISO 105-B02	GRADE 6-7	
ISO 105-B04	GRADE 6-7	

MEASURING INSTRUCTIONS

The semicustom range has been designed to fit specific styles of boats. Choose the style that best suits your boat then follow the measuring instructions to find the correct size.

1. MEASURE THE LENGTH

Measure in a straight line the centreline distance of your boat from Bow to Stern.

2. MEASURE THE WIDTH

Measure in a straight line the distance across the beam (widest point of your boat).

3. MEASURE THE HEIGHT (from gunwale)

Measure a straight line from the gunwale to the highest point on your boat including boat fittings e.g.cabins, windscreens etc.

NOTE: It is recommended that both measurement instructions are used to help you choose the correct cover size.

Boat Length (Centreline Length) Height

OVERALL FABRIC MEASUREMENTS

1. MEASURE THE WIDTH

Using the 'overall cover fabric width' measurement of your chosen cover, measure across the widest point of your boat, over the top of any boat fittings e.g. cabin, windscreens etc. to the point on the hull where the cover's hem will finish.


2. MEASURE THE LENGTH

Using the 'overall cover fabric length ' measurement of your chosen cover, measure along the length of your boat, over the top of any boat fittings e.g. cabin, windscreens etc. to the point on the hull where the cover's hem will finish.

OVERALL COVER DIMENSIONS

W Overall fabric width

L Overall fabric length





PREMIUM WOVEN DOPE DYED POLYESTER FABRIC 8.85oz/yd²

- Specifically designed to fit centre cabin style (large) boats.
- High cut pattern will comfortably fit over high rails and Rocket Launchers.
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Heavy duty cover, ideal for short or long term storage.
- Available in Gray or Black.

CYCLONE CYCLONE TM

■ Recommended for

light trailering use, 60km/h maximum.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH	MAXIMUM HEIGHT		
MA 501 - 0	17" - 19"	53"	95"		
MA 501 - 1	19" - 21"	53"	95"		
MA 501 - 2	21" - 23"	53"	99"		
MA 501 - 3	23" - 25"	53"	114"		
MA 501 - 4	25" - 27"	53"	114"		
*COLOR CODE REQUIRED WHEN ORDERING e.g MA 501-1G, MA 501-1BK					

CABIN CRUISER COVER











- Tailored profile cut to accommodate cabin.
- Fits boats 17.4" 18.4" in lenth with rail height up to 16" and windscreen or cabin up to 35" height.
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 201 - 9	15.5" - 16.4"	7.4"
MA 201 - 10	16.4" - 17.4"	7.10"
MA 201 - 11	17.4" - 18.4"	7.10"
MA 201 - 12	18.4" - 19.4"	8"
MA 201 - 13	19.4" - 20.8"	8.2"
MA 201 - 14	20.8" - 21.11"	8.2"

BOWRIDER COVER











- Designed with a wide cut and tailored to fit across windscreen.
- Fits boats 16.4" 17.4" in length with rail height up to 6" and windscreens up to 24" height.
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Available in Gray or Black.
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 200 - 9	15.5" - 16.4"	7.4"
MA 200 - 10	16.4" - 17.4"	7.10"
MA 200 - 11	17.4" - 18.4"	7.10"
MA 200 - 12	18.4" - 19.4"	8"
MA 200 - 13	19.4" - 20.8"	8.2"
MA 200 - 14	20.8" - 21.11"	8.2"
*COLOR CODE REQUIRED WHEN ORDERING e.g MA 200-9G, MA 200-9BK		

RUNABOUT COVER











- Tailored fit across windscreen & smooth fit to stern.
- Fits boats 17.4" 18.4" in length with rail height up to 10" and windscreen up to 28" height.
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 203 - 6	13.5" - 14.1"	6.4"
MA 203 - 7	14.1" - 14.9"	6.8"
MA 203 - 8	14.9" - 15.5"	6.8"
MA 203 - 9	15.5" - 16.4"	7.4"
MA 203 - 10	16.4" - 17.4"	7.10"
MA 203 - 11	17.4" - 18.4"	7.10"
MA 203 - 12	18.4" - 19.4"	8"
MA 203 - 13	19.4" - 20.8"	8.2"
MA 203 - 14	20.8" - 21.11"	8.2"





BOWRIDER & RUNABOUT COVER

COVER CENTRE & SIDE CONSOLE

CENTRE CONSOLE COVER



SIDE CONSOLE COVER



OPEN BOAT COVER



INFLATABLE BOAT COVER











- Wider cut across beam accommodates centre console.
- Fits boats 16.4" 17.4" in length with rail height up to 14" and console (from Gunwale) up to 31" height.
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 204 - 9	15.5" - 16.4"	7.4"
MA 204 - 10	16.4" - 17.4"	7.10"
MA 204 - 11	17.4" - 18.4"	7.10"
MA 204 - 12	18.4" - 19.4"	8"
MA 204 - 13	19.4" - 20.8"	8.2"
MA 204 - 14	20.8" - 21.11"	8.2"









- Special cut to allow room for side console.
- Fits boats 17.4" 18.8" in length with rail height up to 6" and windscreen height up to 24".
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 205 - 6	13.5" - 14.1"	6.4"
MA 205 - 7	14.1" - 14.9"	6.8"
MA 205 - 8	14.9" - 15.4"	6.8"
MA 205 - 9	15.4" - 16.4"	7.4"
MA 205 - 10	16.4" - 17.4"	7.10"
MA 205 - 11	17.4" - 18.8"	7.10"







MAXIMUM

- Smooth fit across boat and around hull.
- Fits boats 11.5"-12.1" in length with rail height up to 6".
- Cyclone[™] woven polyester fabric 9 oz/yd².
- Available in Gray or Black.
- Trailerable and suitable for highway towing.

CYCLONE TM PREMIUM WOVEN DOPE DYED POLYESTER FABRIC 8.850z/yd²



- Full rear cut accommodates outboard storage.
- Can also be used on boats stored on vertical transom.
- Sizes to fit 7'6" 14'1" Length, 60" 84" Beam Width.
- Cyclone™ woven polyester fabric 9 oz/yd².
- Trailerable and suitable for highway towing.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 601 - 1	7.6" - 8.6"	60"
MA 601 - 2	8.6" - 9.6"	62"
MA 601 - 3	9.6" - 10.6"	66"
MA 601 - 4	10.6" - 11.9"	70"
MA 601 - 5	11.9" - 12.9"	76"
MA 601 - 6	12.9" - 14.1"	80"
MA 601 - 7	14.1" - 15.6"	84"

CODE	BOAT LLNGTH	BEAM WIDTH
MA 202 - 3	11.5" - 12.1"	5.2"
MA 202 - 4	12.1" - 12.9"	5.6"
MA 202 - 5	12.9" - 13.5"	5.10"
MA 202 - 6	13.5" - 14.1"	6.4"
MA 202 - 7	14.1" - 14.9"	6.8"
MA 202 - 8	14.9" - 15.5"	6.8"
MA 202 - 9	15.5" - 16.4"	7.4"
MA 202 - 10	16.4" - 17.4"	7.4"
MA 202 - 11	17.4" - 18.4"	7.4"
*COLOR CODE RE	OUIRED WHEN ORDERING A	g MA 202-3G MA 202-3BK



OPEN & INFLATABLE COVER

Supplied with webbing straps to tie down the cover Shock cord around the hem



- A durable cover available in 3 sizes.
- Fits a variety of Jet ski styles.
- 100% Dope dyed polyester fabric 7.6 oz/yd.
- Water resistant and breathable.
- An excellent choice for year round storage or an economical trailerable cover.
- Shock cord for ease of use and webbing straps to tie it down for trailering.



DOPE DYED POLYESTER FABRIC 7.6oz/yd²

Centreline length

CODE	CENTRELINE LENGTH
MA 077-1	98" - 114"
MA 077-2	114" - 134"
MA 077-3	134" - 146"

BOAT COVER VENT

- Easily installed on cover.
- Under plate locks into top dome, fastened with 4 screws (supplied).
- Provides excellent ventilation around boat, preventing moisture build up, mould or mildew damage. Essential for long term storage.



BOAT COVER TWIN ROPE CLEAT (RATCHET)



- Suits ½" rope.
- Roller guides & twin cleats allow for easy tightening of boat cover rope.

CODE	DESCRIPTION
21064	Boat cover twin rope cleat (Ratchet).

JON BOAT COVER






- 100% solution dyed polyester fabric 7.6 oz/yd.
- Double stitch overlapped seams for added strength.
- Reinforced front and rear corner panels.
- Water Resistant coated fabric.
- Tie-Down strap included with cover.
- Shock Cord enclosed in hem for easy fitting.
- Available in Gray.

CODE	BOAT LENGTH	MAXIMUM BEAM WIDTH
MA 206 - 1	10"	42"
MA 206 - 2	10" - 12"	52"
MA 206 - 3	12" - 14"	62"
MA 206 - 4	14" - 16"	72"
	A	







OCEANSOUTH

SKI COVER

BOAT COVER SUPPORT POLE KIT




The **Oceansouth Cover Support System** extends the life of your cover by eliminating water pooling and debris collecting on the cover. It features the Top and Base solid wheel design which reduces skidding or movement of pole.

- Suits boats up to 24ft 7.1m.
- Marine grade polymers components.
- 1" ¾" bright dipped aluminium pole.
- 1" webbing straps attach to top wheel extend across front and to the rear of boat.

COMPLETE KIT INCLUDES:

- Telescopic pole : 28"- 48" with thumb screw adjuster.
- 2 wheels base and top.
- 65' 7" adjustable webbing, quick release buckles.

CODE	DESCRIPTION
21062	Telescopic boat cover support pole with adjustable webbing straps



WAVERIDER PEDESTAL

The **Waverider pedestal** is the ultimate in convenience and comfort. Being gas powered, it allows easy adjustment of the seat height for each individual. Additionally, it acts as a shock absorber to smooth out the ride in rough seas.

- Gas operated.
- Aluminium anodised Ø 3" / Ø 2½" shaft.
- Powder coated aluminum casted Ø 9" base.
- Nylon top.



WAVERIDER SOCKET PEDESTAL






- Sold as a complete unit.
- Gas operated.
- Aluminium anodised Ø 3" / Ø 2½" shaft.
- Reinforced Nylon top.
- Reinforced Nylon Ø 9" Socket base.

CODE	HEIGHT
MA 776-1	12" -15"
MA 776-2	17" -22"
MA 776-3	20" -26"
21070	Ø 9"Socket base

SOCKET PEDESTAL







- Sold as a complete unit.
- Aluminium anodised Ø 21/3" shaft.
- Reinforced Nylon top.
- Reinforced Nylon Ø 9" Socket base.

CODE	HEIGHT
MA 777-1	13"
MA 777-2	18"
MA 777-3	24"
21070	Ø 9" Socket base

WAVERIDER PEDESTAL

BOAT SEAT PEDESTALS & SWIVELS



- Powder coated aluminum casted Ø 9" base.
- Nylon top.

CODE	HEIGHT
MA 773-1	14" - 20"
MA 773-2	18" - 25"

FIXED PEDESTAL



- Aluminium anodised Ø 3" shaft.
- Powder coated aluminum casted Ø 9" base.
- Nylon top.

CODE	HEIGHT
MA 772-0	17¼"
MA 772-1	13"
MA 772-2	18"
MA 772-3	24"

BELLE PEDESTAL



COATED METAL SWIVEL


- 7" diagonal.
- Suits most standard seats and pedestals.
- Nylon slide runner.
- Black EDC coated steel protects against corrosion.



MA 760

- Aluminium anodised Ø 21/3" shaft.
- Powder coated aluminum casted Ø 10" base.
- Nylon top.

CODE	HEIGHT
MA 771	13" - 17"



	CODE	SIZE
r	MA 760	7" diagonal

BOAT SEAT PEDESTALS

TITAN SWIVEL COMPLETE KIT

- Top & Base.
- 4 x rubber anchors.
- Ø 12 drill bit.
- Installation instructions.



QUICK CONNECT 360° TITAN SWIVEL IS UNOBTRUSIVE AND OFFERS A TRUE REMOVABLE SEAT OPTION

TITAN SWIVEL

- Swivel and base 7" diagonal.
- Moulded with tough self-lubricating polymers.



MA 765-2





SIROCCO FOLDING SEAT



Charcoal/Gray MA 705-35

Oceansouth introduces the only ergonomically designed folding boat seat in the market, designed to bring a new level of style and comfort.

The generously cushioned wider seat and contoured back team together to provide truly comfortable seating.

The Sirocco features

- Ergonomically moulded seat frame.
- UV resistant fabric by **OMNOVA**.
- Contoured dense foam core.
- Positive lock Fold down back.
- Top stitched panelled design.
- Six Color combination options.
- Suits standard 7" swivels or Titan Swivel.



White MA 705-10



Gray MA 705-11



Blue/White MA 705-31



Gray/White MA 705-32



Gray/Charcoal MA 705-33




Gray/Blue MA 705-36


SIROCCO FOLDING SEATS



To remove the seat simply push the release clip up and push the back of the seat



DESCRIPTION
Titan Swivel (complete klt)
Titan Swivel top & base only
Titan Swivel base only
Titan anchors (set of 4)



CODE	DESCRIPTION	COLOR
MA 705 - 10	Sirocco – folding seat	White
MA 705 - 11	Sirocco – folding seat	Gray
MA 705 - 31	Sirocco – folding seat	Blue/White
MA 705 - 32	Sirocco – folding seat	Gray/White
MA 705 - 33	Sirocco – folding seat	Gray/Charcoal
MA 705 - 35	Sirocco – folding seat	Charcoal/Gray
MA 705 - 36	Sirocco – folding seat	Gray/Blue

Blue/White MA 702-21



Shell MA 702


Gray/Charcoal MA 702-23





Gray/White MA 702-22 Camouflage MA 702-15

- Low back, moulded folding seat, high impact polymer shell.
- UV treated shell resists deterioration/fading.
- UV resistant fabric by **OMNOVA**.
- Suits standard 7" swivels or Titan Swivel.
- Available in shell only or 4 Color options.



CODE	DESCRIPTION	COLOR
MA 702	Folding, shell	Gray
MA 702 - 15	Folding, padded – 3 panel	Camouflage
MA 702 - 21	Folding, padded – 3 panel	Blue/White
MA 702 - 22	Folding, padded – 3 panel	Gray/White
MA 702 - 23	Folding, padded – 3 panel	Gray/Charcoal

DELUXE FOLDING SEAT



Blue/White MA 704-31



White MA 704-10

Gray/White MA 704-32






Gray MA 704-11

Charcoal/Gray MA 704-33

- Comfortable thick moulded foam cushions.
- UV resistant fabric by **OMNOVA**.
- Large aluminium powder coated hinges.
- Suits standard 7" swivels or Titan Swivel.
- Heavy duty moulded plastic inner frame.



CODE	DESCRIPTION	COLOR
MA 704 - 10	Deluxe – folding seat	White
MA 704 - 11	Deluxe – folding seat	Gray
MA 704 - 31	Deluxe – folding seat	Blue/White
MA 704 - 32	Deluxe – folding seat	Gray/White
MA 704 - 33	Deluxe – folding seat	Charcoal/Gray

C-SEAT



Blue/White MA 701 - 31



Shell MA 701






Gray/White MA 701 - 32

Gray/Charcoal MA 701 - 33

- Classic moulded seat, follows the contours of the body.
- Comfortable and durable. Moulded in High - impact UV treated polymer.
- Professionally upholstered.
- UV resistant fabric by **OMNOVA**.
- Two tone upholstered with back storage pocket.
- Suits standard 7" swivels or Titan Swivel.
- Available in shell only or 3 Color options.



CODE	DESCRIPTION	COLOR
MA 701	C-Seat	Gray
MA 701 - 31	C-Seat – padded – 3 panel	Blue/White
MA 701 - 32	C-Seat – padded – 3 panel	Gray/White
MA 701 - 33	C-Seat – padded – 3 panel	Gray/Charcoal

SKIPPER SEAT



Blue/White MA 703-31






Shell MA 703

Gray/White MA 703-32

White/Gray (5 Panel) MA 703-52

- Deluxe model, stylish high back folding seat. High - impact polymer shell.
- UV treated shell resists deterioration/fading.
- UV resistant fabric by **OMNOVA**.
- Professionally tailored top-stitched 3 & 5 panel designs.
- Rear storage pocket on back rest.
- Dense laser cut foam cushions.
- Suits standard 7" swivels or Titan Swivel.



	CODE	DESCRIPTION	COLOR
M	IA 703	Folding seat	Gray
MA	703 - 31	Folding seat upholstered 3 panel	Blue/White
MA	MA 703 - 32 Folding seat upholstered 3 panel		Gray/White
MA	703 - 33	Folding seat upholstered 3 panel	Charcoal/Gray
MA	703 - 52	Folding seat upholstered 5 panel	Gray/White

SEATS

SKIPPER

Ö

C-SEAT

BOAT SEAT COVER

SMALL COVER



Easy to fit and an effective solution to protecting your seats from weathering and deterioration.

- Dope dyed polyester 7.6 oz/yd².
- Surround shock cord in hem for a tight fit around bench or pedestal mounted seats.

Small Cover (MA 780-1) suits: Small folding or pedestal seats. Fold away design, covers seat when folded down, secured in place with woven strap (supplied).



LARGE COVER




- Dope dyed polyester 7.6 oz/yd².
- Surround shock cord in hem for a tight fit around bench or pedestal mounted seats.

Large Cover (MA 780-2) suits: Helm, bucket and fixed back seat.



CODE	DESCRIPTION	LENGTH	WIDTH	HEIGHT
MA 780 - 1	Small Cover	18.4"	20.4"	19.2"
MA 780 - 2	Large Cover	24"	22.4"	26.8"
(Gray) G	(Gray) G DOPE DYED POLYESTER FABRIC 7.602/yd²			



SMALL BAIT & FILLET TABLE



Lock Fast Holder Mount MA 104-3



Oceansouth Bait & Fillet Table are reinforced with a unique rib core to provide a rigid and stable surface. Easily removable for cleaning and storage.

- Size 18.4" x 15".
- Rod and rail mount feature adjustable thumbscrew ratchet which allows table to be fixed at the desired angle.
- Extremely strong polypropylene, tough against cuts and UV deterioration.
- Drain hole.

CODE	DESCRIPTION
MA 104 - 1	Bait & Fillet Table - Small Rod Holder Mount
MA 104 - 2	Bait & Fillet Table - Small Rail Mount (Suits Ø 1" Rails
MΔ 104 - 3	Bait & Fillet Table - Small Lock Fast Holder Mount

LARGE BAIT & FILLET TABLE



- Size 28" x 16.8"
- Mounts are adjustable to suit various mounting widths.
- Extremely strong polypropylene, tough against cuts and UV deterioration.
- Two mounting legs for greater stability.
- Drain hole.

CODE	DESCRIPTION
MA 105 - 1	Bait & Fillet Table - Large Rod Holder Mount
MA 105 - 2	Bait & Fillet Table - Large Rail Mount (Suits Ø 1" Rails)
MA 105 - 3	Bait & Fillet Table - Large Lock Fast Holder Mount

EXTRA LARGE BAIT & FILLET TABLE



- Size 33.5" x 38".
- Mounting width 22".
- Extremely strong polypropylene, tough against cuts and UV deterioration.
- Two mounting legs with 'Lock Fast' fitting for superior stability.
- Drain Hole.
- Sink & Rod Holders.

Tube	
Also sold separately	

CODE	DESCRIPTION
MA 109 - 1	Extra Large Bait & Fillet Table - Lock Fast Gunnel Mount
MA 109 - 2	Extra Large Bait & Fillet Table - Rail Mount (Suits Ø 1" Rails)
MA 109 - 4	Extra Large Bait & Fillet Table - Stainless Steel Handle & Rod Holders





- Rounded top and bottom edges.
- Racks can be teamed together to multiply rod storage.
- Convenient side storage of rods.
- External rod holder diameter 1.6".
- Gimble pin rod stop.
- Internal polymer sleeve protects rod handles.






DRIFT SOCK

Ideal for fishing, our **Drift Sock**is constructed with tough PVC rip-stop fabric,
reinforced nylon straps, and continuous webbing
for added strength.


- Tough PVC rip-stop fabric.
- Opening reinforced with 2" webbing.
- Reinforced construction woven polyester straps.
- Continuous webbing for added strength.
- Slows boat rate of drift.
- Ideal for fishing.
- Available in 4 sizes.







CODE	DESCRIPTION
MA 101 - 1	Rod rack of 3
MA 101 - 2	Rod rack of 4



CODE	WIDTH	LENGTH
10071	24"	21"
10072	32"	28"
10073	42"	44"
10074	53"	55"

DRIFT SOCK

ROD HOLDERS 90° & 30°

Rectangle 90º



- Robust narrow head rod holders, UV stabilized polypropylene.
- Flush mount with bevelled edge, 90 degree angled shaft.
- Moulded rod gimbal in the shaft base.
- Slim line head is ideal for narrow gunwales.

CODE	HEAD SIZE	SHAFT I.D.	LENGTH	COLOR
21170	3.4" x 2.2"	1.6"	9"	Black
21171	3.4" x 2.2"	1.6"	9"	White

Rectangle 30º



- Robust narrow head rod holders,UV stabilized polypropylene.
- Flush mount with bevelled edge, 30 degree angled shaft
- Moulded rod gimbal in the shaft base.
- Slim line head is ideal for narrow gunwales.


CODE	HEAD SIZE	SHAFT I.D.	LENGTH	COLOR
21172	3.4" x 2.4"	1.6"	9.4"	Black
21173	3.4" x 2.4"	1.6"	9.4"	White

Oval 30º



- Robust UV stabilized polypropylene rod holder with a large Oval shaped head.
- Flush mount with bevelled edge, 30 degree angled shaft .
- Moulded rod gimbal in the shaft base.

CODE	HEAD SIZE	SHAFT I.D.	LENGTH	COLOR
21174	4.5" x 3.5"	1.6"	9.4"	Black
21175	4.5" x 3.5"	1.6"	9.4"	White



STYLE	CODE	LENGTH	WIDTH
RECTANGLE	MA 400 - 9	10.2"	15.7"
	MA 400 - 10	15.7"	20.5"
Length	MA 400 - 11	17.7"	23.2"
Width			

STYLE	CODE	LENGTH	WIDTH
D HALF ROUND	MA 400 - 14	17.7"	22.8"
Width	MA 400 - 15	19.7"	23.6"
Length			

STYLE	CODE	DIAMETER
ROUND	MA 400 - 16	Ø 11.8"
	MA 400 - 17	Ø 19.7"
	MA 400 - 18	Ø 23.6"







ATLAS TM
GOLDEN RANGE
DOPE DYED POLYESTER CANVAS

Oceansouth's unique design allows the **Hatch Cover** to stay in place when the hatch is opened and remain firmly secured around the hatch when closed.

The hatch covers are manufactured with 100% Dope dyed polyester ATLAS canvas *GOLDEN RANGE* fabric to ensure excellent protection and to extend the life of your hatch.

- Surround drawstring, sure lock toggle.
- Breathable marine canvas reduces condensation build-up and provides excellent UV protection.
- Available for 5 hatch styles, multiple sizes.

WINCH COVER

MEASUREMENT GUIDE

Andorson	00			Lauman	
Anderson		Harken		Lewmar	
WINCH TYPE	SIZE	WINCH TYPE	SIZE	WINCH TYPE	SIZE
28 Electric ST Compact	3	B32.2C 2 Speed	1	24 Two Speed	1
28 Standard	1	B32.2STC 2 Speed	3	30 ST Ocean Two Speed	3
28 Standard ST	3	B40.2C 2 Speed	2	30 Two Speed	1
40 Electic ST Compact	4	B40.2STC 2 Speed	4	40 Electric ST	5
40 Standard	2	B40.2STEC Electric	6	40 ST Ocean Two Speed	4
40 Standard ST	4	B44.2STC 2 Speed	5	40 STOR Racing	4
46 Electric ST	7	B44.2STEC Electric	6	40 Two Speed	2
46 Electric ST Compact	6	B45.2STR Racing 2 Speed	5	44 Electric ST	6
46 Hydraulic ST	6	B46.2STC 2 Speed	6	44 Hyraulic ST	6
46 ST Stainless Steel	6	B46.2STEC Electric	7	44 ST Ocean Two Speed	5
46 Standard	2	B48.2STC 2 Speed	7	44 STOR Racing	5
46 Standard ST	6	B48.2STEC Electric	8	44 STOR Racing - High Speed	6
52 Electric ST	8	B48.2STR Racing 2/3 Speed	7	48 Electric ST	7
52 Electric ST Compact	8	B53.2ST 2 Speed	9	48 Hydraulic ST	7
52 Hydraulic ST	8	B53.2STC 2/3 Speed	8	48 ST Ocean Two Speed	6
52 ST Stainless Steel	7	B53.2STE Electric	9	48 STOR Racing	6
52 Standard ST	7	B53.2STH Hydraulic	9	48 STOR Racing - High Speed	7
58 Electric STE	9	B53.2STR Racing 2 Speed	8	50 Electric ST	9
58 Electric STE Compact D	9	B56.2ST 2 Speed	9	50 Hydraulic ST	9
58 Electric STE Compact U	9	B56.2STE Electric	10	50 ST Ocean Two Speed	8
58 Hydraulic STH	9	B56.2STH Hyraulic	10	50 STOR Racing	8
58 ST Stainless Steel	9	B56.3ST 3 Speed	9	54 Electric ST	9
58 Standard ST	9			54 Hydraulic ST	9
62 Electric STE	9			54 ST Ocean Two Speed	8
62 Electric STE Compact D	9			54 STOR Racing	8
62 Electric STE Compact U	9			58 Electric ST	10
62 Hydraulic STH	9			58 Hydraulic ST	10
62 ST Stainless Steel	9			58 ST Two Speed	9
62 Standard ST	9			58 STOR Racing	9
		I		62 STOR Racing	9
				64 Electric ST	10
				64 Hydraulic ST	10
				64 ST	9
				Two Speed	







Oceansouth Winch Covers are manufactured with 100% Dope dyed polyester ATLAS canvas *GOLDEN RANGE* Color fastness to light grade 8 ensures the extended life of your cover.

- Simple design allows for quick fitting on/off.
- 1" elasticised waist secures cover firmly around winch.
- Double thickness stitched hem sits neatly around winch base.
- Excellent UV and weather protection.
- Available in 2 styles: STANDARD and SELF TAILING.

STANDARD	1	MA 401 - 1	5.1"	5.1"
_ _	2	MA 401 - 2	5.7"	5.5"
tubie H Base Ø				
STYLE	SIZE	CODE	HEIGHT	BASE Ø
SELF TAILING	3	MA 401 - 3	6.3"	5.7"
	4	MA 401 - 4	7.1"	5.9"
	5	MA 401 - 5	7.9"	6.7"
Height	6	MA 401 - 6	8.5"	7.5"
	7	MA 401 - 7	9.1"	7.9"
Base Ø	8	MA 401 - 8	9.8"	8.1"
1 Dasc v	9	MA 401 - 9	11.0"	10.6"
	10	MA 401 - 10	12.4"	11.4"


STYLE SIZE CODE HEIGHT BASE Ø



HATCH COVER

SAILBOAT AWNING






Oceansouth Sailboat Awnings are designed to fit a variety of sailboats. Manufactured with Cyclone 8.85oz/yd2 polyester canvas that has a Color fastness to light, grade 6 - 7 to provide durable, secure protection from the sun.

- Easily installed across boom.
- Velcro and buckled rear central opening to allow for topping lift.
- Secured with tie downs to mast, backstay and rails.
- Tie downs included.

CODE	WIDTH	LENGTH	OPENING
MA 402 - 1	100"	96"	34"
MA 402 - 2	120"	128"	48"
MA 402 - 3	144"	168"	48"
(Gray) G		CYCLONE CYCLO PREMIUM W POLYESTER 8.850z/yd²	OVEN DOPE DYED




SHORT BASE LADDERS

STAINLESS STEEL



- Step spacings 10".
- Ladder width 11".
- Welded rungs with flat polymer tread.
- 316 grade stainless steel fasteners and tube.
- High polish Ø 1" stainless steel.



CODE	STEPS	LENGTH EXTENDED	LENGTH RETRACTED
MA 031	2	19.1"	16.5"
MA 032	3	29.3"	26.4"

LONG BASE LADDERS

STAINLESS STEEL



- Step spacings 10".
- Ladder width 11".
- Welded rungs with flat polymer tread.
- 316 grade stainless steel fasteners and tube.
- High polish Ø 1" stainless steel.




CODI	E STE	PS	LENGTH EXTENDED	LENGTH RETRACTED
MA 03	3		25.4"	18.5"
MA 03	4		35.2"	26.4"
MA 03	5 5		45.3"	27"

GUNWALE LADDERS

STAINLESS STEEL




- Step spacings 10".
- Ladder width 11".
- Welded rungs with flat polymer tread.
- 316 grade stainless steel fasteners and tube.
- High polish Ø 1" stainless steel.




CODE	STEPS	LENGTH EXTENDED	LENGTH RETRACTED
MA 036	3	36.2"	28"
MA 037	4	46.5"	28"

ALLOY LADDERS



- Heavy duty anodised aluminium Ø 1" tubing.
- Rubber coated gunwale hooks with cushioned tips.
- Hooks and fend off feet fold flat for compact storage.
- Tough white moulded non-slip step.
- Reinforced plastic fend off feet.



CODE	STEPS	LENGTH	WIDTH
MA 011	3	33"	14"
MA 012	4	43"	14"





STAINLESS STEEL LADDERS

HANDRAILS

STAINLESS STEEL

Ø 3/4" HANDRAILS HEIGHT 2.2"



Ø 7/8" HANDRAILS HEIGHT 2.6"




Ø 1" HANDRAILS HEIGHT 2.7"



- 316 grade stainless steel tube.
- Marine grade nylon base.
- Mounting hardware included.

OCEANSOUTH



CODE	CODE	CODE	CENTRE HOLE DISTANCE	HANDRAIL LENGTH
MA 019 - 9	MA 022 - 9	MA 025 - 9	12"	9"
MA 019 - 12	MA 022 - 12	MA 025 - 12	15"	12"
MA 019 - 18	MA 022 - 18	MA 025 - 18	21"	18"
MA 019 - 24	MA 022 - 24	MA 025 - 24	27"	24"
-	-	MA 025 - 30	32.7"	30"



BOAT HOOK

Telescopic Boat Hook

- 4' -7' Telescopic
- Bright dipped
- Ø 1" 1.2" Alloy shaft & Non-slip locking mechanism.



Extending the Telescopic Boat Hook STEP 3 STEP 2 STEP 1 Twist.

- Rubber hand grips.
- High strength polypropylene hook.
- 'Fend-off' flat top design.
- Double sided hook.

COL MA 0

PADDLES

Telescopic Paddle

- Easy twist telescopic locking system.
- Bright dipped alloy shaft.
- Polypropylene blade.



ASYMETRIC KAYAK PADDLE

Split Shaft

Weight 40.40oz/yd²



- Glass fibre reinforced polypropylene blades.
- Drip rings, sealed blades & shaft.
- Bright dipped aluminium shaft Ø 1.2".
- Grip indicators.
- Asymmetric slightly spooned blades with 40° offset.





3 position Split Shaft 60° Right/ Left- Centre

DE	DESCRIPTION	LENGTH
004	Boat hook telescopic	4' - 7'

PA 110

CODE	COLOR	LENGTH
PA 185B	Blue	86.8"
PA 185BK	Black	86.8"
PA 185W	White	86.8"
PA 185Y	Yellow	86.8"

ASYMETRIC KAYAK PADDLE



Our 2-piece aluminium oars allow for convenient, simple storage, without sacrificing durability.

Features

- Ø 1³/₈" x ¹/₂₁" aluminium tube.
- Anodised shafts.
- UV polypropylene blades.
- Grip handle.
- Oar stop
- Two piece design for convenient storage.

Two piece design

■ Supplied with oarlock (pair).











PA 310

OUTBOARD TRANSOM PLATE

Our **Outboard Transom Plates** are made from solid, UV resistant polypropylene and are available in both $\frac{1}{3}$ " and $\frac{2}{3}$ " thicknesses.

- Solid UV resistant polypropylene transom plates for outboard motor mounting.
- Smooth rounded outer edge and tapered shape for a clean professional finish.
- Available in two thicknesses: 1/3" & 2/3".





CODE	DESCRIPTION
100133	Outboard Transom Plate - 1/3"
100134	Outboard Transom Plate - 3/3"



OCEANSOUTH USA INC.

3906-3908 NW 126th Avenue, Coral Springs, Florida 33065 Tel: +1 954 575 8444, Fax: +1 954 575 8899 sales@oceansouth.us

