





ISM INTELLIGENT STEERING MODULE

The industry first steering wheel to use a fixed keyboard system to prevent keyboards from turning together with the steering wheel (patented technology: PCT/IB2015/052111).

The functions which can be controlled directly from the steering wheel are limitless: every command can "migrate" from its current position directly to the keypads integrated into the steering wheel.


The system is designed to connect to any CAN - RS485 - RS232, digital I/O, and is geared for further expansion depending on the customer's specific needs.

Our patented system guarantees multiple innovations at the same time:

- It allows the steering wheel to turn while keeping the keyboard in a fixed position, making it possible for the pilot to interact with the buttons quickly, practically and safely and keeping them from turning together with the steering wheel.
- It enable users to connect the steering wheel and the boat using a CAN/BUS cable. As it does not require a wireless connection, it ensures the arrival of extremely secure and reliable electrical signals from the steering wheel itself, making it possible to control sensitive functions, such as motor speed and cruise control, as well as trim control, radio, flaps, ballasts, and all those functions whose controls are currently located on the dashboard of the boat.
- The keyboards are directly connected to the battery of the boat and therefore they will never run out of charge, unlike independent keyboards using wireless connections.













SPORT PADDLES



- Projected to allow precise and rapid control of engine trim, jackplate, trim tabs and other components
- Electronic microswitches IP67 activable by simply pulling paddles, with immediate response of all components and perfect feedback.
- External Control Unit for an intelligent data processing
- · Usable in replacing of the original switch controller or together with it
- Ergonomic-design to ensure confortable feeling without taking your hands off the wheel
- Central fitting body with a limited overall dimensions for a better look design and perfect integration with steering wheel
- Adjustable two-side arms positioned along the helm to cover and protect all wires between paddles and dashboard
- Suitable for most steering helm and pump thanks to the universal fitting system.
- Nominal switching capability 20 Amp @ 14VDC resistive load
- Custom boatbuilder logo and icons available on each paddle



Diameter:	ø 350 mm – 13.80"
Grip:	Leather.
Spokes:	Stainless steel 316 polished.
CENTRAL FLANGE:	Black anodized aluminium.
Inner ring:	Polished aluminium.
CENTER CAP:	Leather.
Options:	Center cap with custom logo.

• Ref. Code: 1128_5






Diameter:	ø 350 mm – 13.80"	
Grip:	Leather.	isotta hub adai
Spokes:	Billet aluminium (available black - silver - titanium anodized).	ISOTIA HUB ADA
CENTRAL FLANGE:	Aluminium (available black or silver anodized).	• Ref. Code:
CENTER CAP:	Leather.	rkei. Coue.
Options:	Center cap with custom logo embossed.	



1123_5



DIAMETER: FRONT GRIP: REAR GRIP: SPOKES: CENTER CAP: OPTIONS: ø 350 mm – 13.80" Stainless steel 316 polished. No slide rubber with finger rest shape. Stainless steel 316 polished. Stainless steel 316 polished. Center cap with custom logo embossed

Sotta hub adapter required for fitting

• Ref. Code: 1126_5





COPER18 WITH HEATED OPTION





and second

DIAMETER:	ø 350 mm – 13.80"
Grip:	Leather.
Spokes:	Aluminium (available black-silver
	or titanium anodized).
Central flange:	Aluminium (available black
	or silver anodized).
Inner ring:	Polished aluminium.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING


• Ref. Code: 1127_5



DIAMETER:Ø 350 mm - 13.80"GRIP:Leather.SPOKES:Stainless steel 316 polished.CENTRAL FLANGES:Stainless steel 316 polished.CENTER CAP:Leather.OPTIONS:Center cap with custom logo embossed.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1117_5



DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather.
Spokes:	Stainless steel 316 polished.
CENTRAL FLANGES:	Black anodized aluminium with inner silver ring.
CENTER CAP:	Leather OR stainless steel 316 polished.
OPTIONS:	Center cap with custom logo embossed.

• Ref. Code: 1118_5

TORINDI



DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather.
Spokes:	Stainless steel 316 polished.
CENTRAL FLANGES:	Black anodized aluminium with inner silver ring.
CENTER CAP:	Leather OR stainless steel 316 polished.
OPTIONS:	Center cap with custom logo embossed.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1121_5


GRAFFIO



DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather.
Spokes:	Anodized silver aluminium.
Central flanges:	Anodized silver aluminium.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING


• Ref. Code: 1120_5



DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather.
Spokes:	Double spokes level silver anodized.
CENTRAL FLANGES:	Silver anodized aluminium.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo
	embossed.

• Ref. Code: 1122_5





DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather.
Spokes:	Equal spokes in Stainless steel 316 polished.
CENTRAL FLANGES:	Stainless steel 316 polished (or leather).
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

• Ref. Code:	188_5	mod. DIAMA
• Ref. Code:	188_5FL	mod. DIAMA FL





DIAMETER:Ø 350 mm - 13.80"GRIP:Leather.SPOKES:Equal spokes in stainless steel 316 polished.CENTRAL FLANGES:Stainless steel 316 polished.CENTER CAP:Leather.OPTIONS:Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 1106_5





DIAMETER:	ø 355mm – 14"
Grip:	Leather.
Spokes:	Equal spokes in stainless steel 316 polished.
	Back side in leather.
CENTRAL FLANGES:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

• Ref. Code: 1105_5



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Equal spokes in stainless steel SS316 polished.
CENTRAL FLANGE:	Aluminium, silver anodized.
CENTER CAP:	Brushed aluminium or leather.
OPTIONS:	Center cap with custom logo embossed.

• Ref. Code: 189_5_SP

BERRA CM




DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Stainless steel SS316 polished.
CENTRAL FLANGE:	Black anodized aluminium and inner silver ring.
CENTER CAP:	aluminium embossed.
OPTIONS:	Center cap with custom logo.

ISOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 189_5_CM







DIAMETER:Ø 350 mm - 13.80"GRIP:Leather.SPOKES:Equal double-spokes in stainless steel SS316.CENTRAL FLANGE:Stainless steel SS316 polished.CENTRAL CAP:Leather.OPTIONS:Central cap with custom logo embossed.
Central flange in leather.

Integrated hub adapter 3/4" taper required for fitting

• Ref. Code: 140_5_ST

CARLOTTA SATIN



DIAMETER:Ø 350 mm - 13.80"GRIP:Leather.SPOKES:Stainless steel 316 satin/mat finishing.CENTRAL FLANGE:Stainless steel 316 satin/mat finishing.CENTRAL CAP:Leather.OPTIONS:Central cap with custom logo embossed.

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1107_5

TIVOLI ST



DIAMETER:Ø 350 mm - 13.80"GRIP:Leather. Elliptic section.SPOKES:Equal spokes in stainless steel 316 polished.CENTRAL FLANGE:Stainless steel 316 polished.CENTRAL CAP:Leather.OPTIONS:Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 196_5

TIVOLI SAT



DIAMETER:	ø 350 mm – 13.80"
GRIP:	Leather. Elliptic section.
Spokes:	Stainless steel 316 polished/mat finishing.
CENTRAL FLANGE:	Stainless steel 316 polished/mat finishing.
CENTRAL CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1112_5



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Equal spokes in stainless steel 316 polished.
Stud:	Special stud in stainless steel 316 polished.
CENTRAL FLANGES:	Leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 1103_5



DIAMETER:	ø 360mm - 14.20"
GRIP:	Leather.
Spokes:	Double equal spokes in stainless steel 316 polished.
CENTRAL FLANGES:	Aluminium, powder coated.
INNER RING:	Stainless steel polished.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

HUB ADAPTOR REQUIRED FOR FITTING

• Ref. Code: 178_6

CORSARO

Diameter:	ø 350mm - 13.80"
Grip:	Leather.
	With or without six chromed rings.
Spokes:	Aluminium, silver anodized.
CENTRAL FLANGE:	Aluminium, silver anodized (or black)
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 110

1104_5 1104_5_6R







DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Titanium or silver aluminium with leather on the bottom.
Stud:	Special stud in stainless steel 316 polished.
CENTRAL FLANGES:	Black anodized aluminium.
CENTER CAP:	Aluminium embossed.
OPTIONS:	Center cap with custom logo.

• Ref. Code: 1109_5



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Double equal spokes in stainless
	steel 316 polished.
CENTRAL FLANGE:	Aluminium, black anodized.
INNER RING:	Aluminium, silver anodized.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo
	embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 199_5



MEDELANA



DIAMETER:	ø 360mm - 14.18"
GRIP:	Leather.
Spokes:	Equal spokes in stainless steel 316
	polished.
CENTRAL FLANGE:	Powder coated or leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Center cap with custom logo
	embossed. Central flange in leather.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 177_6



MESOLA


DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
GRIP RING:	Stainless steel 316 polished.
Spokes:	Equal double-spokes in stainless steel 316
	polished.
CENTRAL FLANGE:	Leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 179_5







DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Single poke in stainless steel 316 polished. Back side in leather.
CENTRAL FLANGE:	Painted or leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 186_5

CELLINI ST

DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	4 spokes at 90° in stainless steel 316
	polished. Back side in leather.
CENTRAL FLANGE:	Leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 147_5







FERRARA 2

DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	2 pairs 180° spokes in
	stainless steel 316
	polished. Back side in
	leather.
CENTRAL FLANGE:	Leather.
INNER RING:	Stainless steel 316
	polished.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom
	logo embossed.
	Central flange powder
	Central flange powder coated.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 171_5

FERRARA 3

DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	3 pairs equal spokes in
	stainless steel 316 polished.
	Back side in leather.
CENTRAL FLANGE:	Leather.
INNER RING:	Stainless steel 316 polished.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom
	logo embossed.
	Central flange powder
	coated.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 170_5



RATIO



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	Double equal spokes in stainless steel 316 polished.
CENTRAL FLANGE:	Aluminium, black anodized.
INNER RING:	Aluminium, silver anodized.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

INTEGRATED HUB ADAPTER

• Ref. Code: 1100_5

PRESTIGIO SS



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Vertical spokes:	Stainless steel 316 polished.
HORIZONTAL SPOKES:	Satin and anodized aluminium
INNER RING:	stainless steel 316 polished
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 155_5_SS

VERTICE Wood



DIAMETER:	ø 350mm - 13.80"
GRIP:	Wood.
Spokes:	3 equal spokes in anodized
	alumininium.
CENTRAL FLANGE:	Anodized aluminium.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo
	embossed. Spokes in chrome plate

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 143_5_RW


VERTICE Leather

DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather.
Spokes:	3 equal spokes in anodized
	alumininium.
CENTRAL FLANGE:	Anodized aluminium.
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 143_5





DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather with 6 chromed rings.
Spokes:	3 equal spokes in anodized aluminium.
CENTRAL FLANGE:	Anodized aluminium
CENTER CAP:	Leather.
OPTIONS:	Central cap with custom logo embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 143_5_6R

VALLELUNGA



Diameter:	ø 345mm - 13.58" - Flat bottom
	shape.
GRIP:	Leather.
Spokes:	Anodized alumininium.
	Vertical sticks in stainless steel 316
	polished.
CENTRAL FLANGE:	Anodized aluminium, smokey
	grey finishing.
CENTRAL RING:	Polished aluminium.
OPTIONS:	Central cap with custom
	serigraphy logo.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 126_4

ZULAG



Diameter:	ø 345mm - 13.58"	
GRIP:	Leather.	
Spokes:	Satin and anodized alumininium.	
	Inner portion in \$\$316 polished.	
CENTRAL FLANGE:	Anodized aluminium.	
INNER RING:	Stainless steel 316 polished.	
CENTRAL CAP:	Aluminium disk.	
OPTIONS:	Central cap with custom	
	serigraphy logo.	

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 134_4

BORGIA

DIAMETER:	ø 360mm - 14.18"	
GRIP:	Leather.	
Spokes:	Parallel spokes in stainless steel 316	
	polished. Back side in leather.	
CENTRAL FLANGE:	Stainless steel 316 polished.	
CENTRAL CAP:	Leather.	
OPTIONS:	Central cap with custom logo embossed.	

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 181_6



HORIZON



DIAMETER:	ø 360mm - 14.18"	
GRIP:	Leather.	
Spokes:	5 elliptical spokes in brushed and	
	anodized aluminium.	
CENTRAL HUB:	Stainless.	
CENTRAL CAP:	Leather.	
OPTIONS:	Central cap with custom logo	
	embossed.	

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 176_5S

OCEANO



DIAMETER:	ø 350mm - 13.80"
GRIP:	Leather or leather with wood.
Spokes:	Equal spokes in brushed/anodized
	aluminium.
Double central flange:	Brushed/anodized aluminium.
INNER RING:	Leather or wood.
CENTRAL CAP:	Aluminium disk.
OPTIONS:	Central cap with custom serigraphy
	logo.

Isotta hub adapter 3/4" taper required for fitting

145_5 145_5_LW

• Ref. Code:



HORIZON 500

DIAMETER:	ø 500mm - 19.70"	
GRIP:	Leather.	
Spokes:	5 elliptical spokes in brushed/	
	anodized aluminium.	
CENTRAL HUB:	Stainless steel 316 polished.	
CENTRAL CAP:	Leather.	
OPTIONS:	Central cap with custom logo	
	embossed.	

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 176_500








DIAMETER:	ø 410mm - 16.14"
GRIP:	Leather.
Spokes:	5 pair brushed and anodized
	spokes.
CENTRAL FLANGE:	Brushed and anodized
	aluminium.
CENTRAL CAP:	Leather.
OPTIONS:	Central cap with custom logo
	embossed.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 175_40



DIAMETER:Ø 350mm - 13.80"GRIP:Powder coated metallic finishing.GRIP INSERTS:Stainless steel 316 polished.SPOKES:Polished aluminium.CENTRAL FLANGE:Polished aluminium.CENTER CAP:Powder coated metallic finishing.OPTIONS:Center cap with custom serigraphy logo .

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 162_5







<u>aria wp</u>

DIAMETER:	ø 350 mm – 13.80"	
GRIP:	Powder coated pure mat white.	
GRIP INSERTS:	Polished stainless steel.	
Spokes:	Polished aluminium.	
Central flange:	Polished aluminium.	
CENTER CAP:	Powder coated pure mat white.	
OPTIONS:	Center cap with custom logo embossed.	
Isotta hub adapter required for fitting		

ARIA WOOD

DIAMETER:	ø 350 mm – 13.80"
Grip:	Real wood .
Grip inserts:	Polished stainless steel.
Spokes:	Polished aluminium.
CENTRAL FLANGE:	Polished aluminium.
CENTER CAP:	Real wood.
OPTIONS:	Center cap with custom logo embossed.
ISOTTA HUB ADAPTER	Required for fitting

Code: 162_5WP

• Ref. Code: 162_5Wood



CESCA



DIAMETER:	ø 350mm - 13.80"	
GRIP:	Poliurethan leather look or leather.	
	(model CESCA INS with 3 ABS inserts, various colors).	
Spokes:	3 equal spokes in stainless steel 316 polished.	
CENTRAL CAP:	Leather.	
OPTIONS:	Center cap with custom logo embossed.	

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

 Ref. Code: 	184_5 mod. CESCA	
	187_5 mod. CESCA INS	

CESCA INS



VTR14



DIAMETER:Ø 350mm - 13.80"GRIP:Poliurethan leather look.SPOKES:Satin silver aluminium.CENTRAL FLANGE:Aluminium powder costed.CENTRAL CAP:Silver brushed aluminium.OPTIONS:Center cap with custom logo.

SOTTA HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 1113_5PUN

ARGO

DIAMETER:	ø 350mm - 13.80"
GRIP:	Poliurethan, leather look.
	Elliptic section.
Spokes:	Double equal spokes in
	satin silver aluminium.
CENTRAL FLANGE:	Aluminium, black
	anodized.
CENTRAL CAP:	Aluminium disk.
OPTIONS:	Center cap with custom
	serigraphy logo.

INTEGRATED HUB ADAPTER

• Ref. Code: 197_5



RUNZI

ø 350mm - 13.80"
Poliurethan, leather look.
Elliptic section.
5 equal spokes in satin
silver aluminium.
Aluminium, black
anodized.
Aluminium disk.
Center cap with custom
serigraphy logo.

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

• Ref. Code: 194_5



SKEMA



DIAMETER:	ø 350mm - 13.80"	
GRIP:	Poliurethan, leather look.	Inte
	(model SKEMA INS with 2 ABS inserts, Various colors)	INTE
Spokes:	Brushed/anodized silver aluminium.	• R
CENTRAL RING:	Anodized silver aluminium.	• 13
CENTRAL CAP:	Leather or aluminium disk.	
OPTIONS:	Center cap with custom logo embossed.	

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

- Ref. Code: 191_5 mod. SKEMA 191_5_2 mod. SKEMA 2
 - 191_5_INS mod. SKEMA 2





FIUME INS



Diameter:	ø 350mm - 13.80"
GRIP:	Poliurethan, leather look. (Option: 3 insert with selected colors or finishing)
Spokes:	Anodized aluminium.
CENTRAL FLANGE:	Brushed/anodized aluminium.
CENTRAL CAP:	Leather.
OPTIONS:	Center cap with custom logo embossed.

INTEGRATED HUB ADAPTER REQUIRED FOR FITTING

 Ref. Code: 	185_5_INS
	185_5

FIUME



R-EVO



DIAMETER:	ø 350mm - 13.80"
GRIP:	Poliurethane, leather look with leather finger rest.
Spokes:	Brushed/anodized aluminium.
CENTRAL RING:	Mirror polished aluminium.
CENTRAL CAP:	Aluminium disk.
OPTIONS:	Custom serigraphy logo.

Isotta hub adapter 3/4" taper required for fitting

• Ref. Code: 125_5_PNF



EVO 330

DIAMETER: Ø 3300 GRIP: Poliure Spokes: Brushe Central Ring: Mirror Central cap: Alumi Options: Custo

ø 330mm - 13.00" Poliurethane, leather look. Brushed/anodized aluminium. Mirror polished aluminium. Aluminium disk. Custom serigraphy logo.

Isotta hub adapter 3/4" taper required for fitting

Ref. Code: 121_3_PNFM

HANDRAIL HR03







Embossed logo available

OVERALL LENGHT 500MM (DIFFERENT SIZE AVAILABLE)

• Ref. Code: HR03



